



Università di Pisa
Dipartimento di Statistica e Matematica
Applicata all'Economia

Report n. 352

On the minimization of a class of generalized linear functions on a flow polytope

Riccardo Cambini end Claudio Sodini

Pisa, 14 febbraio 2012
- Stampato in Proprio -

On the minimization of a class of generalized linear functions on a flow polytope

Riccardo Cambini and Claudio Sodini

Department of Statistics and Applied Mathematics
Faculty of Economics, University of Pisa
Via Cosimo Ridolfi 10, 56124 Pisa, ITALY
e-mail: cambris@ec.unipi.it, csodini@ec.unipi.it

Abstract

The aim of this paper is to propose a solution method for the minimization of a class of generalized linear functions on a flow polytope. The minimization of classes of generalized linear functions on a general polyhedron has been approached in the literature by means of the so called “optimal level solutions” method. In this paper we aim to describe a specialized version of this approach which uses the particular network structure of flow polytopes, thus improving the performance and reducing the numerical errors. Results of a computational test are also provided.

Key words: nonconvex programming, optimal level solutions, global optimization, network flows.

AMS - 2010 Math. Subj. Class. 90C35, 90C26, 90C31.

JEL - 1999 Class. Syst. C61, C63.

1 Introduction

In this paper the following class of generalized linear problems is considered:

$$P : \left\{ \begin{array}{l} \inf f(x) = \phi(c^T x + c_0, d^T x + d_0) \\ x \in X \end{array} \right.$$

where $c, d \in \Re^n$, with c and d linearly independent, $c_0, d_0 \in \Re$ and $X \neq \emptyset$ is a *flow polytope*. The scalar function $\phi(y_1, y_2)$ is assumed to be continuous and to be strictly monotone with respect to variable y_1 . This allows to solve in an unifying framework a large class of nonconvex flow problems, including d.c., fractional and multiplicative ones [8, 9, 10, 11, 12, 14, 16], which are known to be useful from an applicative point of view [1, 6, 13].

In the case of linear problems on flow polytope the simplex algorithm can be adapted to the particular structure of the feasible region, thus obtaining the so called “network simplex algorithm” which computes directly on the graph all the data needed for the iterations.

The solution method proposed in this paper to solve the class of problems P is based on the so called “optimal level solutions” method (see [3, 4, 5, 7, 15]). It is known that this is a parametric method, which finds the optimum of the problem by determining the minima of particular subproblems. In particular, the optimal solutions of these subproblems are obtained by means of a sensitivity analysis which maintains the optimality conditions. Applying the optimal level solutions method to problem P we obtain some linear subproblems which are independent of function $\phi(y_1, y_2)$. In other words, different problems share the same set of optimal level solutions, and this allow us to propose an unifying method to solve all of them.

In Section 2 we describe how the optimal level solutions method can be applied to problem P ; in Section 3 a solution algorithm is proposed and fully described, as well as some methods to improve its overall performance; finally, in Section 4 the results of a deep computational test are provided and discussed.

2 Definitions and Preliminary results

In [5] a solution algorithm for the following class of nonlinear programs have been proposed and studied from both a theoretical and a computational point of view:

$$\begin{cases} \inf f(x) = \phi(c^T x + c_0, d^T x + d_0) \\ x \in X \end{cases}$$

where $c, d \in \mathbb{R}^n$, with c and d linearly independent, $c_0, d_0 \in \mathbb{R}$ and $X \neq \emptyset$ is a polyhedron. The scalar function $\phi(y_1, y_2)$ has been assumed to be continuous, to be strictly monotone with respect to variable y_1 , and to be defined for all the values in Ω where:

$$\Omega = \{(y_1, y_2) \in \mathbb{R}^2 : y_1 = c^T x + c_0, y_2 = d^T x + d_0, x \in X\}$$

The aim of this paper is to deep on the study in [5] by considering the particular case of a set X representing a flow polytope. In this light, we aim to determine a new specialized solution algorithm based on graph operations and to study its efficiency. Let $G = (N, A, l, u)$ be a weighted graph where N ($|N| = n$) is the set of *nodes* and A ($|A| = m$) is the set of *arcs*; with respect to the k -th arc $(i, j) \in A$ we have the lower and upper *capacities* $l_k \in \mathbb{R}$ and

$u_k \in \Re$, respectively. The following problem can then be defined:

$$P : \begin{cases} \inf f(x) = \phi(c^T x + c_0, d^T x + d_0) \\ x \in X = \{x \in \Re^n : Ex = r, l \leq x \leq u\} \end{cases}$$

where E is the incidence matrix of the graph G , $x = (x_k)$, $x_k \in \Re \forall k = 1, \dots, m$, is the vector of the flows, $r = (r_i)$, $r \in \Re^n$ ($\sum_{i=1}^n r_i = 0$), is the vector of the requirements of the nodes. Since matrix $[E|r]$ has rank $n - 1$ it is useful to insert an auxiliary variable/arc x_0 corresponding to one of the nodes of the graph. In this light, we choose to add an auxiliary variable/arc corresponding to the first node, so that region X can be rewritten as:

$$X = \{x \in \Re^n : Ex + e^1 x_0 = r, l \leq x \leq u, 0 \leq x_0 \leq 0\}$$

where $e^1 = (1, 0, \dots, 0)^T \in \Re^n$. Finally, notice that the k -th column of E , denoted with $E^k = (E_h^k)$, corresponding to the k -th arc $(i, j) \in A$ is given by:

$$E_h^k = \begin{cases} 1 & \text{if } h = i \\ -1 & \text{if } h = j \\ 0 & \text{otherwise} \end{cases} \quad (2.1)$$

2.1 Optimal level solutions approach

The flow polytope $X = \{x \in \Re^n : Ex = r, l \leq x \leq u\}$ results to be a compact convex set. The following notations can then be introduced:

$$\xi_{min} = d_0 + \min_{x \in X} d^T x \quad \text{and} \quad \xi_{max} = d_0 + \max_{x \in X} d^T x$$

so that the set of all *feasible levels* can be defined as:

$$\Lambda = \{\xi \in \Re : \xi = d^T x + d_0, x \in X\} = [\xi_{min}, \xi_{max}]$$

Given a feasible level $\xi \in \Lambda$ the following subset of X can be introduced:

$$X_\xi = \{x \in X : d^T x + d_0 = \xi\}$$

which allows to introduce the following parametrical subproblem:

$$\begin{cases} \inf f(x) = \phi(c^T x + c_0, \xi) \\ x \in X_\xi \end{cases}$$

Taking into account of the strict monotonicity of the scalar function $\phi(y_1, y_2)$ with respect to variable y_1 , this parametrical subproblem is equivalent to the following one:

$$P_\xi : \begin{cases} \inf c^T x \\ x \in X_\xi \end{cases}$$

An optimal solution of problem P_ξ , if it exists, is called an *optimal level solution*. Given a feasible level $\xi \in \Re$, the set of optimal solutions of P_ξ is denoted with $S_\xi \subset X_\xi$, while the set of all the optimal level solutions is denoted with $S = \cup_{\xi \in \Lambda} S_\xi \subset X$. Notice that for each feasible level $\xi \in \Lambda$ there exists at least one optimal level solution in S_ξ which is a vertex or belongs to an edge of the polytope X . Obviously, an optimal solution of problem P is also an optimal level solution and, in particular, it is the optimal level solution with the smallest value; the idea of this approach is then to scan all the feasible levels, studying the corresponding optimal level solutions, until the minimizer of the problem is reached. Starting from an incumbent optimal level solution, this can be done by means of a sensitivity analysis on the parameter ξ , which allows us to move in the various steps through several optimal level solutions until the optimal solution is found (see [4]).

2.2 Primal approach

Problem P_ξ is nothing but a linear minimum cost flow problem with the additional linear constraint $d^T x + d_0 = \xi$. There is no need to recall the wide literature on the classical network simplex algorithm, where problems are solved by using the particular structure of graphs and trees (see for all [2]). Our aim is to propose a solution method which uses the network structure of the problem and implicitly manages the additional constraint $d^T x + d_0 = \xi$.

In this light, let us now introduce the following notations:

$$\tilde{E} = [e^1 | E], \tilde{x}^T = [x_0, x^T], \tilde{c}^T = [0, c^T], \tilde{d}^T = [0, d^T], \tilde{l}^T = [0, l^T], \tilde{u}^T = [0, u^T].$$

Subproblem P_ξ can be rewritten as:

$$P_\xi : \left\{ \begin{array}{l} \min \tilde{c}^T \tilde{x} \\ \tilde{x} \in \tilde{X}_\xi = \{\tilde{x} \in \Re^{n+1} : \tilde{E}\tilde{x} = r, \tilde{d}^T \tilde{x} = \xi - d_0, \tilde{l} \leq \tilde{x} \leq \tilde{u}\} \end{array} \right.$$

The structure of a basic matrix of problem P_ξ is:

$$T_{B,k} = \begin{bmatrix} \tilde{E}_B & E^k \\ \tilde{d}_B^T & d_k \end{bmatrix}$$

where \tilde{E}_B is a basic matrix of \tilde{E} , \tilde{d}_B is a vector whose elements correspond to the columns of \tilde{E}_B . Clearly, for the sake of the nonsingularity of \tilde{E}_B and $T_{B,k}$, the vector e^1 corresponding to the auxiliary variable x_0 is always the first column of \tilde{E}_B . It is worth noticing that \tilde{E}_B is nothing but the matrix associated to a spanning tree. B is the ordered list of the n indexes of the basic variables corresponding to the spanning tree; as it has been already

explained, the first element of B is always the index 0 corresponding to the auxiliary variable x_0 . k is the index of the basic variable not included in the basic spanning tree, hence E^k is the k -th column of E and d_k is the k -th component of d . The subgraph associated to $T_{B,k}$ results to be a spanning tree plus an additional arc; such a kind of structures are known as *1-trees*.

It is known that in order to solve linear min cost problems by means of a simplex primal approach, it is necessary to compute the inverse of the basis matrix and the reduced costs.

It is worth noticing that the inverse of \tilde{E}_B can be computed by means of a proper visit of the corresponding spanning tree. All the elements of the first row of \tilde{E}_B^{-1} are equal to 1; the first column of \tilde{E}_B^{-1} is e^1 . The h -th column of \tilde{E}_B^{-1} , $h > 1$, can be easily computed by considering the unique path of the spanning tree connecting node h to the root (node 1); such a column contains values in the set $\{-1, 0, 1\}$, in particular the value 0 is assigned to the rows corresponding to the arcs not belonging to the considered path, the other values are assigned in order to obtain a flow balance equal to 1 in node h and equal to 0 in the others (such assignment can be done by visiting the path from the node h towards the root).

Once the inverse of \tilde{E}_B is known, then the inverse of $T_{B,k}$ is given by:

$$T_{B,k}^{-1} = \begin{bmatrix} \tilde{E}_B^{-1} + \frac{1}{d_k} y^k \lambda_{Bd}^T & -\frac{1}{d_k} y^k \\ -\frac{1}{d_k} \lambda_{Bd}^T & \frac{1}{d_k} \end{bmatrix} \quad (2.2)$$

where $\lambda_{Bd}^T = \tilde{E}_B^T \tilde{E}_B^{-1}$, $\bar{d}_k = d_k - \lambda_{Bd}^T E^k$, $y^k = \tilde{E}_B^{-1} E^k$. Being E^k the k -th column of E corresponding to the k -th arc $(i, j) \in A$, then for (2.1) y^k can be computed as the difference between the i -th column of \tilde{E}_B^{-1} and its j -th column.

Let $L = \{h \notin B, h \neq k : x_h = l_h\}$ and $U = \{h \notin B, h \neq k : x_h = u_h\}$. Given:

$$\tilde{r} = r - \sum_{h \in L} E^h l_h - \sum_{h \in U} E^h u_h \quad , \quad \tilde{\xi} = \xi - d_0 - \sum_{h \in L} d_h l_h - \sum_{h \in U} d_h u_h$$

the basic solution \tilde{x} associated to the basic matrix $T_{B,k}$ has $\tilde{x}_h = l_h \forall h \in L$, $\tilde{x}_h = u_h \forall h \in U$, while:

$$\tilde{x}_{B,k} = T_{B,k}^{-1} \begin{bmatrix} \tilde{r} \\ \tilde{\xi} \end{bmatrix} = \begin{bmatrix} \tilde{E}_B^{-1} \tilde{r} + \frac{1}{\bar{d}_k} (\lambda_{Bd}^T \tilde{r} - \tilde{\xi}) y^k \\ -\frac{1}{\bar{d}_k} (\lambda_{Bd}^T \tilde{r} - \tilde{\xi}) \end{bmatrix}$$

$$\tilde{y}^h = T_{B,k}^{-1} \begin{bmatrix} E^h \\ d_h \end{bmatrix} = \begin{bmatrix} y^h - \frac{\bar{d}_h}{\bar{d}_k} y^k \\ \frac{\bar{d}_h}{\bar{d}_k} \end{bmatrix}$$

$$c'_h = c_h - (\tilde{c}_B^T, c_k) \tilde{y}^h = \tilde{c}_h - \frac{\bar{c}_k}{\bar{d}_k} \bar{d}_h \quad (2.3)$$

where $\lambda_{Bc}^T = \tilde{c}_B^T \tilde{E}_B^{-1}$, $\tilde{c}_k = c_k - \lambda_{Bd}^T E^k$.

The vectors \tilde{y}^h and the reduced costs c'_h can be computed by means of \tilde{E}_B^{-1} . If $c'_h \geq 0 \forall h \in L$ and $c'_h \leq 0 \forall h \in U$ then the basic solution \tilde{x} is an optimal solution.

Let $s \in L$ such that $c'_s < 0$; the variable x_s must be increased (if possible) of a positive value δ from l_s to u_s . The following conditions must be verified:

$$\tilde{l}_{B,k} \leq \tilde{x}_{B,k} - \tilde{y}^s \delta \leq \tilde{u}_{B,k}, x_s = l_s + \delta \leq u_s, 0 \leq \delta \leq u_s - l_s \quad (2.4)$$

The maximum value $\bar{\delta}$ for δ is obtained from (2.4) as follows:

$$\begin{cases} \delta_1 = \frac{\tilde{x}_{(B,k)r} - \tilde{u}_{(B,k)r}}{\tilde{y}_r^s} = \min_{h \in (B,k) : \tilde{y}_h^s < 0} \left\{ \frac{\tilde{x}_{(B,k)h} - \tilde{u}_{(B,k)h}}{\tilde{y}_h^s} \right\} \\ \delta_2 = \frac{\tilde{x}_{(B,k)p} - \tilde{l}_{(B,k)p}}{\tilde{y}_p^s} = \min_{h \in (B,k) : \tilde{y}_h^s > 0} \left\{ \frac{\tilde{x}_{(B,k)h} - \tilde{l}_{(B,k)h}}{\tilde{y}_h^s} \right\} \\ \bar{\delta} = \min\{\delta_1, \delta_2, u_s - l_s\} \end{cases} \quad (2.5)$$

Let $s \in U$ such that $c'_s > 0$; the variable x_s must be decreased (if possible) of a positive value δ from u_s to l_s . The following conditions must be verified

$$\tilde{l}_{B,k} \leq \tilde{x}_{B,k} + \tilde{y}^s \delta \leq \tilde{u}_{B,k}, x_s = u_s - \delta \geq l_s, 0 \leq \delta \leq u_s - l_s \quad (2.6)$$

The maximum value $\bar{\delta}$ for δ is obtained from (2.6) as follows:

$$\begin{cases} \delta_1 = \frac{\tilde{u}_{(B,k)r} - \tilde{x}_{(B,k)r}}{\tilde{y}_r^s} = \min_{h \in (B,k) : \tilde{y}_h^s > 0} \left\{ \frac{\tilde{u}_{(B,k)h} - \tilde{x}_{(B,k)h}}{\tilde{y}_h^s} \right\} \\ \delta_2 = \frac{\tilde{l}_{(B,k)p} - \tilde{x}_{(B,k)p}}{\tilde{y}_p^s} = \min_{h \in (B,k) : \tilde{y}_h^s < 0} \left\{ \frac{\tilde{l}_{(B,k)h} - \tilde{x}_{(B,k)h}}{\tilde{y}_h^s} \right\} \\ \bar{\delta} = \min\{\delta_1, \delta_2, u_s - l_s\} \end{cases} \quad (2.7)$$

If $\bar{\delta} = u_s - l_s$ the variable x_s goes from L to U (or from U to L) and the basic matrix $T_{B,k}$ is unchanged. Otherwise, the non basic variable x_s enters into the basis and by (2.5) or (2.7) the basic variable x_v leaving the basis is detected, where:

$$v = \begin{cases} B_r & \text{if } \bar{\delta} = \delta_1 \\ B_p & \text{if } \bar{\delta} = \delta_2 \end{cases}$$

Three cases can occur:

- **case** $v = k$. The spanning tree is untouched while the additional arc is substituted by the entering arc. The basic matrix results:

$$T_{B,s} = \begin{bmatrix} \tilde{E}_B & E^s \\ \tilde{d}_B^T & d_s \end{bmatrix}$$

- **case** $v \neq k$ and vectors E^h with $h \in \{s\} \cup (B \setminus \{v\})$ are linearly independent. The basic matrix results:

$$T_{B',k} = \begin{bmatrix} \tilde{E}_{B'} & E^k \\ \tilde{d}_{B'}^T & d_k \end{bmatrix}$$

where B' is obtained from B by substituting v with s , $\tilde{E}_{B'}$ is the new basic matrix of \tilde{E} where column s substitutes column v , $\tilde{d}_{B'}$ is a sub-vector of \tilde{d} whose elements correspond to the columns of $\tilde{E}_{B'}$;

- **case** $v \neq k$ and vectors E^h with $h \in \{s\} \cup (B \setminus \{v\})$ are linearly dependent. The basic matrix results:

$$T_{B',s} = \begin{bmatrix} \tilde{E}_{B'} & E^s \\ \tilde{d}_{B'}^T & d_s \end{bmatrix}$$

where B' is obtained from B by substituting v with k , $\tilde{E}_{B'}$ is the new basic matrix of \tilde{E} where column k substitutes column v , $\tilde{d}_{B'}$ is a sub-vector of \tilde{d} whose elements correspond to the columns of $\tilde{E}_{B'}$.

If \tilde{E}_B is changed, then the inverse of $\tilde{E}_{B'}$ must be computed. The inverse $\tilde{E}_{B'}^{-1}$ can be obtained by updating \tilde{E}_B^{-1} .

Let us define the vector $y_{inv} = -y^s/y_r$, $y_{inv_r} = 1/y_r^s$ (case $\bar{\delta} = \delta_1$) or the vector $y_{inv} = -y^s/y_p$, $y_{inv_r} = 1/y_p^s$ (case $\bar{\delta} = \delta_2$), and let El^r (El^p) an identity matrix except for the column r -th (p -th) given by y_{inv} . The inverse of $\tilde{E}_{B'}$ is then:

$$\tilde{E}_{B'}^{-1} = \begin{cases} El^r \tilde{E}_B^{-1} & \text{if } \bar{\delta} = \delta_1 \\ El^p \tilde{E}_B^{-1} & \text{if } \bar{\delta} = \delta_2 \end{cases} \quad (2.8)$$

Procedure “*Primal()*” shows how the optimal solution of P_ξ can be stated starting from the feasible basic solution represented by the index partition B, k, L, U .

Procedure Primal(*inputs*: a feasible basis (B, k, L, U) , ξ , \tilde{E}_B^{-1} ; *outputs*: Opt , $OptVal$)

```

    Compute  $\tilde{x}$ ,  $c'_h \forall h \in L \cup U$  as in (2.3);
    Let  $N_L = \{h \in L : c'_h < 0\}$ ,  $P_U = \{h \in U : c'_h > 0\}$ ;
    while  $N_L \cup P_U \neq \emptyset$  ;
        Let  $c'^s = \min\{\min_{h \in N_L}\{c'_h\}; \min_{h \in P_U}\{-c'_h\}\}$ ;
        Compute  $\tilde{y}^s$  and determine  $\bar{\delta}$  by (2.5) or (2.7) ;
        Update  $B, k, L, U$  and compute (if necessary)  $\tilde{E}_B^{-1}$  by (2.8) ;
        Compute  $\tilde{x}$ ,  $c'_h \forall h \in L \cup U$  as in (2.3);
        Update  $N_L = \{h \in L : c'_h < 0\}$ ,  $P_U = \{h \in U : c'_h > 0\}$ ;
    end while;
     $Opt := \tilde{x}$ ;  $OptVal := \tilde{c}^T \tilde{x}$ ;
end proc.
```

2.3 Dual approach

Let \tilde{x} the basic solution associated to the basic matrix $T_{B,k}$. If $c'_h \geq 0 \forall h \in L$ and $c'_h \leq 0 \forall h \in U$ then the basic solution \tilde{x} is a dual feasible solution. In particular, if \tilde{x} is also a feasible solution then it is an optimal solution. If \tilde{x} is unfeasible then the dual simplex algorithm can be used to find an optimal solution. In this subsection we propose a dual solution method which uses, as in the previous subsection, the network structure of the problem and implicitly manages the additional constraint $d^T x + d_0 = \xi$. As it is known, in the dual simplex algorithm, first the leaving variable (from the basis) is chosen and then the entering variable (into the basis) is detected in order to maintain the optimality of the reduced costs. The leaving variable is chosen among the basic variables out of the bounds (i.e variables having a value smaller than the lower bound or higher than the upper bound).

Let $\tilde{x}_{(B,k)_v}$ be the v -th component of $\tilde{x}_{B,k}$ and suppose that $\tilde{x}_{(B,k)_v} < \tilde{l}_{(B,k)_v}$. Our aim is to increase variable $x_{(B,k)_v}$ up to its lower bound $\tilde{l}_{(B,k)_v}$. In this way, variable $x_{(B,k)_v}$ leaves the basis and enters in L . In order to detect the entering variable, the v -th component of vector \tilde{y}^h must be computed for all $h \in L \cup U$. Let α_v be the v -th row of $T_{B,k}^{-1}$, then the v -th component of vector \tilde{y}^h , $h \in L \cup U$, is obtained by

$$\tilde{y}_v^h = \alpha_v \begin{bmatrix} E^h \\ d_h \end{bmatrix} \quad (2.9)$$

If $\tilde{y}_v^h \geq 0 \forall h \in L$ and $\tilde{y}_v^h \leq 0 \forall h \in U$ then region X_ξ is empty; otherwise,

the entering variable x_s is detected by

$$\frac{c'_s}{\tilde{y}_v^s} = \max \left\{ \max_{h \in L : \tilde{y}_v^h < 0} \left\{ \frac{c'_h}{\tilde{y}_v^h} \right\}, \max_{h \in U : \tilde{y}_v^h > 0} \left\{ \frac{c'_h}{\tilde{y}_v^h} \right\} \right\} \quad (2.10)$$

Let $\tilde{x}_{(B,k)_v}$ be the v -th component of $\tilde{x}_{B,k}$ and suppose that $\tilde{x}_{(B,k)_v} > \tilde{u}_{(B,k)_v}$. Our aim is to decrease variable $x_{(B,k)_v}$ down to its upper bound $\tilde{u}_{(B,k)_v}$. In this way, variable $x_{(B,k)_v}$ leaves the basis and enters in U . Just as in the previous case, the v -th component of vector \tilde{y}^h must be computed for all $h \in L \cup U$. If $\tilde{y}_v^h \leq 0 \forall h \in L$ and $\tilde{y}_v^h \geq 0 \forall h \in U$ then region X_ξ is empty; otherwise the entering variable x_s is detected by

$$\frac{c'_s}{\tilde{y}_v^s} = \min \left\{ \min_{h \in L : \tilde{y}_v^h > 0} \left\{ \frac{c'_h}{\tilde{y}_v^h} \right\}, \min_{h \in U : \tilde{y}_v^h < 0} \left\{ \frac{c'_h}{\tilde{y}_v^h} \right\} \right\} \quad (2.11)$$

The basic variable $x_{(B,k)_v}$ leaves the basis and by (2.10) or (2.11) the non basic variable x_s enters into the basis.

Three cases can occur:

- **case** $v = n + 1$. The spanning tree is untouched while the additional arc is substituted by the entering arc. The basic matrix results:

$$T_{B,s} = \begin{bmatrix} \tilde{E}_B & E^s \\ \tilde{d}_B^T & d_s \end{bmatrix}$$

- **case** $v \leq n$ and vectors E^h with $h \in \{s\} \cup (B \setminus \{B_v\})$ are linearly independent. The basic matrix results:

$$T_{B',k} = \begin{bmatrix} \tilde{E}_{B'} & E^k \\ \tilde{d}_{B'}^T & d_k \end{bmatrix}$$

where B' is obtained from B by substituting B_v with s , $\tilde{E}_{B'}$ is the new basic matrix of \tilde{E} where column s substitutes column B_v , $\tilde{d}_{B'}$ is a subvector of \tilde{d} whose elements correspond to the columns of $\tilde{E}_{B'}$;

- **case** $v \leq n$ and vectors E^h with $h \in \{s\} \cup (B \setminus \{B_v\})$ are linearly dependent. The basic matrix results:

$$T_{B',s} = \begin{bmatrix} \tilde{E}_{B'} & E^s \\ \tilde{d}_{B'}^T & d_s \end{bmatrix}$$

where B' is obtained from B by substituting B_v with k , $\tilde{E}_{B'}$ is the new basic matrix of \tilde{E} where column k substitutes column B_v , $\tilde{d}_{B'}$ is a subvector of \tilde{d} whose elements correspond to the columns of $\tilde{E}_{B'}$.

Procedure Dual(*inputs*: a dual basis (B, k, L, U) , ξ , \tilde{E}_B^{-1} ;
 outputs: Opt , $OptVal$, (B, k, L, U) , \tilde{E}_B^{-1})

 Compute \tilde{x} , $c'_h \forall h \in L \cup U$ as in (2.3);
 Let $LT_L = \{r \in (B, k) : \tilde{x}_r < \tilde{l}_r\}$, $GT_U = \{r \in (B, k) : \tilde{x}_r > \tilde{u}_r\}$;
 while $LT_L \cup GT_U \neq \emptyset$;
 Let v the index of (B, k) such that:
 $\min\{\min_{r \in LT_L} \{\tilde{x}_r - \tilde{l}_r\}; \min_{r \in GT_U} \{\tilde{u}_r - \tilde{x}_r\}\}$;
 Compute $\tilde{y}_v^h, \forall h \in L \cup U$ by (2.9);
 if $v \in LT_L$ then
 if $\tilde{y}_v^h \geq 0 \forall h \in L$ and $\tilde{y}_v^h \leq 0 \forall h \in U$
 then $X_\xi = \emptyset$; $Opt := []$; $OptVal := []$; stop;
 else Detect the entering variable x_s by (2.10);
 end if ;
 else
 if $\tilde{y}_v^h \leq 0 \forall h \in L$ and $\tilde{y}_v^h \geq 0 \forall h \in U$
 then $X_\xi = \emptyset$; $Opt := []$; $OptVal := []$; stop;
 else Detect the entering variable x_s by (2.11);
 end if ;
 end if ;
 end if ;
 Update B, k, L, U and compute (if necessary) \tilde{E}_B^{-1} by (2.8) ;
 Compute \tilde{x} , $c'_h \forall h \in L \cup U$ as in (2.3);
 Update $LT_L = \{r \in (B, k) : \tilde{x}_r < \tilde{l}_r\}$, $GT_U = \{r \in (B, k) : \tilde{x}_r > \tilde{u}_r\}$;
 end while;
 $Opt := \tilde{x}$; $OptVal := \tilde{c}^T \tilde{x}$;

end proc.

3 Solution algorithm

As it has been introduced in Section 2, in order to find the global minimum we just have to visit the optimal level solutions for all of the feasible levels in $\Lambda = [\xi_{\min}, \xi_{\max}]$. In this light, we will show that it is possible to scan the feasible levels from ξ_{\min} to ξ_{\max} by means of a finite number of iterations corresponding to simplex pivot operations executed over the flow polytope.

In subsection 2.2 it has been already described the structure of the optimal level solution corresponding to a certain feasible level ξ . Assuming problem $P_{\xi'}$ has been already solved and that its optimal solution is x' with optimal basis (B, k, L, U) , our aim is to solve the parametric problem $P_{\xi'+\theta}$, $\theta \geq 0$, such that the corresponding optimal level solution have the same basis (B, k, L, U) .

Subproblem $P_{\xi'+\theta}$ can be rewritten as:

$$P_{\xi'+\theta} : \begin{cases} \min \tilde{c}^T \tilde{x} \\ \tilde{E} \tilde{x} = r \\ \tilde{d}^T \tilde{x} = \xi + \theta - d_0 \\ \tilde{l} \leq \tilde{x} \leq \tilde{u} \\ \tilde{x} \in \Re^{n+1} \end{cases}$$

It can be easily verified that the reduced costs for $P_{\xi'+\theta}$ can still be computed with (2.3) and does not depend on θ . Moreover, the basic components of its optimal level solution result to be:

$$x'_{B,k}(\theta) = T_{B,k}^{-1} \begin{bmatrix} \tilde{r} \\ \tilde{\xi} + \theta \end{bmatrix} = T_{B,k}^{-1} \begin{bmatrix} \tilde{r} \\ \tilde{\xi} \end{bmatrix} + \theta T_{B,k}^{-1} e^{n+1}$$

where $e^{n+1} = (0, \dots, 0, 1)^T \in \Re^{n+1}$. Hence, the optimal solution of $P_{\xi'+\theta}$, $\theta \geq 0$, results to be of the kind $x' + \theta \Delta_x$, where the nonbasic components of Δ_x are equal to zero while the basic ones are given by $\Delta_{x_{B,k}} = T_{B,k}^{-1} e^{n+1}$.

The halfline $x'(\theta) = x' + \theta \Delta_x$, $\theta \geq 0$, verifies the equality constraints $\tilde{E}x'(\theta) = r$ and $\tilde{d}^T x'(\theta) = \xi + \theta - d_0$, so that these points results to be optimal level solutions whenever $\tilde{l} \leq x'(\theta) \leq \tilde{u}$, that is to say whenever they are feasible. In this light, let $F_R = \max\{\theta \geq 0 : \tilde{l} \leq x' + \theta \Delta_x \leq \tilde{u}\}$. It is worth pointing out that $x'(\theta)$ is a vertex of the feasible region of $P_{\xi'+\theta}$, hence it belongs to an edge of the flow polytope X . As a consequence, the segment $[x', x'(F_R)]$ belongs to an edge of X ; moreover, in the case x' is a vertex of X then $x'(F_R)$ is one of the vertices of X adjacent to x' .

The following procedures “*Main()*” can then be proposed. This procedure initializes the algorithm by first determining the set of feasible levels. This can be done by means of any simplex algorithm for minimum cost flows.

Then, the optimal level solution corresponding to the starting level ξ_{min} is computed as well as its basis. The starting incumbent optimal solution is then initialized before the while cycle which will allow to visit the feasible levels from ξ_{min} to ξ_{max} , thus obtaining the optimal solution.

Notice that in procedure “*Main()*” there are two optional subprocedures. The first one, named “*ImplicitVisit()*”, skips some of those feasible levels which cannot improve the incumbent optimal solution, thus reducing the number of while iterations needed to solve the problem and hence improving the performance of the algorithm itself. Notice that as smaller is the value UB of the incumbent optimal solution as more effective is the use of “*ImplicitVisit()*” subprocedure. In this very light the second optional subprocedure, named “*ImproveStartingValues()*”, is aimed just to initialize the algorithm with a good incumbent optimal solution.

At the beginning of every while iterations, an optimal level solution x' is known. Starting from x' we need to determine a basis (B, k, L, U) which allow to obtain a segment of optimal level solutions $x'(\theta) = x' + \theta\Delta_x$, with $\theta \in [0, F_R]$ and $F_R > 0$. This could be done by analyzing all of the possible basis corresponding to x' . This leads to computational troubles, especially in the case of degenerations. For this very reason a more efficient numerical approach is used. By means of a real step parameter $\delta > 0$ small enough and any optimal basis (B, k, L, U) of x' , the “*Dual()*” procedure is invoked to solve problem $P_{\xi'+\delta}$ thus obtaining the optimal level solution $x'(\delta)$ and its basis which guarantees a value $F_R > 0$.

The objective function is then evaluated over the segment of optimal level solutions $x'(\theta)$, $\theta \in [0, F_R]$, in order to improve the incumbent optimal solution. Notice that $\bar{\theta} := \arg \min_{\theta \in [0, F_R]} z(\theta)$, where $z(\theta) = f(x'(\theta))$, can be implemented numerically, and eventually improved for specific functions $f(x)$ (see [3, 4, 15]).

Finally, the while iteration is closed by the updating of the current feasible level and its corresponding optimal level solution.

From a geometrical point of view, the single while iteration allow us to move from a vertex of the flow polytope X to another adjacent one corresponding to an higher feasible level by means of a simplex like operation.

The correctness of the proposed algorithm follows since all the feasible levels are scanned and the optimal solution is also an optimal level solution.

It remains to verify the convergence (finiteness), that is to say that the procedure stops after a finite number of steps. First note that, at every iterative step of the proposed algorithm, an edge of the feasible region is fully visited; note also that the level is increased from ξ' to $\xi' + F_R > \xi'$, so that it is not possible to consider an already visited edge; the convergence

Procedure Main(inputs: P ; outputs: $Opt, OptVal$)

Solve the problem $\min_{x \in X} d^T x$ and let $x_{min} \in X$ be its optimal solution with index partition B, L, U and reduced costs \bar{d} , let also be $\xi_{min} := d^T x_{min} + d_0$;

Let $k \in L \cup U$ be such that $\bar{d}_k \neq 0$ and let \tilde{E}_B be the basic matrix of x_{min} ;

Solve $P_{\xi_{min}}$ by means of “Procedure Primal()” starting from the basis (B, k) and let x' be the optimal solution of $P_{\xi_{min}}$;

Let $\bar{x} := x'$, $UB := f(\bar{x})$, $\xi' := \xi_{min}$ and let $\delta > 0$ be the step parameter;

Compute the value $\xi_{max} := d_0 + \max_{x \in X} d^T x$;

Optional : $[\bar{x}, UB] := ImproveStartingValues()$;

while $\xi' < \xi_{max}$ do

let $[(B, k, L, U), \tilde{E}_B^{-1}] := Dual((B, k, L, U), \xi' + \delta, \tilde{E}_B^{-1})$;

define vector Δ_x having the nonbasic components equal to zero and the basic ones given by:

$$\Delta_{x_{B,k}} := \frac{1}{d_k - \tilde{d}_B^T \tilde{E}_B^{-1} E^k} \begin{bmatrix} -\tilde{E}_B^{-1} E^k \\ 1 \end{bmatrix}$$

set $F_R := \max\{\theta \geq 0 : \tilde{l} \leqq x' + \theta \Delta_x \leqq \tilde{u}\}$;

let $z(\theta) = \phi(\theta c^T \Delta_x + c^T x' + c_0, \xi' + \theta)$;

let $\bar{\theta} := \arg \min_{\theta \in [0, F_R]} z(\theta)$;

if $z(\bar{\theta}) < UB$ then

$UB := z(\bar{\theta})$ and $\bar{x} := x' + \bar{\theta} \Delta_x$;

end if;

set $\xi' := \xi' + F_R$ and $x' := x' + F_R \Delta_x$;

Optional : $[\xi', x', (B, k, L, U), \tilde{E}_B^{-1}] := ImplicitVisit()$;

end while;

$Opt := \bar{x}$ and $OptVal := UB$;

end proc.

then follows since in a polytope there is a finite number of possible edges.

Remark 3.1 Let us point out that problems P_ξ are independent of the function ϕ . This means that problems having the same feasible region, the same c, c_0, d and d_0 , but different function ϕ , they share the same set of optimal level solutions. As a consequence, when procedure “*Main()*” explicitly visits all the feasible levels, these different problems are solved by means of the same number of iterations of the while cycle.

Let us now describe in details the optional subprocedures “*ImplicitVisit()*” and “*ImproveStartingValues()*”.

First of all, notice that function $z(\theta)$ evaluates the optimal level solutions for $\theta \in [0, F_R]$ while it represents an underestimation function for $\theta > F_R$ (since $x'(\theta)$ is a dual feasible solution being the reduced costs independent to θ). For this very reason, there is no need to visit the feasible levels such that $z(\theta) \geq UB$ since they cannot improve the incumbent optimal solution. The optional subprocedure “*ImplicitVisit()*” verifies the presence of feasible levels which cannot improve the incumbent optimal solution and hence which can be skipped. In the case some levels are implicitly visited a primal feasible optimal level solution is determined by means of procedure “*Dual()*”.

```

Procedure ImplicitVisit(outputs:  $\xi'$ ,  $x'$ ,  $(B, k, L, U)$ ,  $\tilde{E}_B^{-1}$ )
    if  $\xi' < \xi_{max}$  then
        let  $\psi(\theta) = \phi(\theta c^T \Delta_x + c^T x' + c_0, \xi' + \theta)$ ;
        let  $\mathcal{L} = \{\theta \in (0, \xi_{max} - \xi'] : \psi(\theta) < UB\}$ ;
        if  $\mathcal{L} = \emptyset$  then  $\xi' := \xi_{max}$ 
        else if  $\inf \{\mathcal{L}\} > 0$  then
             $\xi' := \xi' + \inf \{\mathcal{L}\}$ ;
             $[x', (B, k, L, U), \tilde{E}_B^{-1}] := Dual((B, k, L, U), \xi', \tilde{E}_B^{-1})$ 
        end if;
        end if;
    end if;
end proc.
```

Subprocedure “*ImproveStartingValues()*” is just aimed to initialize the algorithm with a good starting incumbent optimal solution, in order to make the use of “*ImplicitVisit()*” more effective. Clearly, subprocedure “*ImproveStartingValues()*” results to be useless in the case “*ImplicitVisit()*” is not invoked.

Procedure ImproveStartingValues(*outputs*: \bar{x} , UB)

Let $x_{max} \in X$ be the optimal solution of $\max_{x \in X} d^T x$;

Solve $P_{\xi_{max}}$ by means of “Procedure Primal()” starting from x_{max} and let x'' be the obtained optimal solution;

if $f(x'') < UB$ *then* $\bar{x} := x''$, $UB := f(\bar{x})$ *end if*;
end proc.

4 Computational results

The previously described procedures have been fully implemented with the software MatLab 7.10 R2011b and tested on a computer having 6 Gb RAM and two Xeon dual core processors at 2.66 GHz. The following three different objective functions have been used in the computational test:

	$\phi(y_1, y_2)$	$f(x)$
P_1	$y_1 - y_2^2$	$(c^T x + c_0) - (d^T x + d_0)^2$
P_2	$y_1 y_2^3$	$(c^T x + c_0) (d^T x + d_0)^3$
P_3	y_1^3 / y_2^2	$(c^T x + c_0)^3 / (d^T x + d_0)^2$

Notice that the functions considered in these problems are not quasi-convex and hence allow the presence of many local minima. We considered problems with a number of nodes from $n = 10$ to $n = 100$. In order to test the performance of the algorithm with respect to the graph density, we considered graphs with an average number of leaving arcs from the nodes equal to $n * degree$, where *degree* is 30% (Tables 1 and 2) and 70% (Tables 3 and 4). This means that the number of arcs in the various graphs is about $n^2 * degree$.

The problems have been randomly created; in particular, arcs are randomly generated with the chosen degree and avoiding repetitions, vectors c, d, l, u have been generated by using the “randi()” MatLab function, $l \in \Re^n$ (c, d with components in the interval [-10,10], l with components in the interval [0,2] and $u - l$ with components in the interval [5,10]). In order to guarantee the existence of a feasible flow, it is $r = \frac{1}{2}E(l + u)$. Value $c_0 \in \Re$ is chosen equal to 0; $d_0 \in \Re$ is equal to 0 in P_1 while in P_2 and P_3 it has been chosen in order to have function $d^T x + d_0$ positive over the feasible region.

Various instances have been randomly generated and solved. The average number of iterations of the while cycle in procedure “Main” and the average CPU times spent by the algorithm to solve the instances are given as the results of the test (see Tables 1-4). These results point out the effectiveness of the improvements proposed in Section 3.

Regarding to Tables 1-4 notice that:

- “n” represents the number of nodes in the considered problems;
- “num” represents the number of instances randomly generated and solved within problems P_1 , P_2 and P_3 , with or without the use of the improving procedures;
- “Complete Visit” represents the average Iterations or CPU time spent to solve the instances within problem P_1 when neither “*ImproveStartingValues*” nor “*ImplicitVisit*” are used (hence all the feasible levels are explicitly scanned); we provide only the results related to P_1 since all the problems are solved in the same number of iterations (see Remark 3.1);
- P_1 , P_2 and P_3 , represent the average iterations or CPU times spent to solve the instances within problems P_1 , P_2 and P_3 , respectively, when just “*ImplicitVisit*” is used or when both “*ImproveStartingValues*” and “*ImplicitVisit*” are used.

n	num	Complete Visit	With “ <i>ImplicitVisit</i> ” only			With both “ <i>ImplicitVisit</i> ” and “ <i>ImproveStartingValues</i> ”		
			P_1	P_2	P_3	P_1	P_2	P_3
10	1000	24.696	6.585	18.399	5.764	1.835	12.096	5.015
20	1000	134.24	16.447	102.07	15.411	1.998	68.145	12.98
30	1000	330.24	30.518	253.07	25.074	2.051	165.89	21.279
40	800	612.46	42.785	470.55	36.27	1.9863	331.85	30.824
50	500	984.02	67.88	758.29	42.686	2.098	517.75	36.776
60	300	1443.6	86.127	1115	51.257	2.1033	779.1	44.33
70	200	1989.4	102.48	1541.7	63.245	2.025	1068.6	54.01
80	100	2633.3	125.33	2039.9	75.52	2.06	1402.1	65.03
90	100	3373.5	162.47	2614.6	74.8	2.18	1861.3	64.67
100	100	4202	204.05	3266.3	116.29	2.2	2324.6	100.52

Table 1: Average Iterations - 30% arcs

The improvement criteria suggested in Section 3 results to be extremely effective in making the algorithm efficient; as expected, as bigger is the graph (number of nodes or density of arcs) as more expensive is the resolution of the problem. It is also worth pointing out that the effectiveness of the improvements criteria depends on the chosen objective function:

- as regards to the average number of iterations, the use of “*ImplicitVisit*” only provides better results in P_1 and P_3 than in P_2 , while the

n	num	Complete Visit	With “ImplicitVisit” only			With both “ImplicitVisit” and “ImproveStartingValues”		
			P ₁	P ₂	P ₃	P ₁	P ₂	P ₃
10	1000	0.43618	0.12375	0.33882	0.11173	0.04269	0.23142	0.10123
20	1000	2.4148	0.33409	1.9156	0.31196	0.08883	1.3136	0.27501
30	1000	6.2514	0.71993	4.9911	0.57574	0.22269	3.3823	0.51657
40	800	12.35	1.2371	9.8578	0.99246	0.49555	7.1843	0.90332
50	500	21.268	2.4122	16.996	1.5144	1.1558	12.149	1.4135
60	300	33.622	3.9388	26.882	2.3921	2.262	19.816	2.2721
70	200	50.533	6.1371	40.476	3.9943	4.0184	30.005	3.824
80	100	72.996	9.793	58.321	6.2367	7.0307	43.445	6.0313
90	100	102.07	16.782	81.499	8.4984	13.004	63.238	8.2681
100	100	139.5	25.787	111.66	13.142	20.726	87.573	12.775

Table 2: Average CPU time (secs) - 30% arcs

n	num	Complete Visit	With “ImplicitVisit” only			With both “ImplicitVisit” and “ImproveStartingValues”		
			P ₁	P ₂	P ₃	P ₁	P ₂	P ₃
10	1000	59.536	9.555	45.093	10.098	1.951	29.448	8.605
20	1000	283.16	24.427	216.41	24.564	1.971	146.28	21.052
30	1000	676.87	47.814	520.75	37.164	2.047	358.13	31.685
40	800	1249.9	74.177	965.5	47.788	2.0438	666.77	41.219
50	500	2005.7	98.04	1555.7	55.176	2.026	1088.6	47.896
60	300	2955.3	131.62	2297.4	72.873	1.98	1634.4	62.78
70	200	4084.8	175.19	3179.6	87.42	2.055	2243.8	75.485
80	100	5445.8	182.33	4257.5	92.16	1.92	2901.4	81.19
90	100	6986.5	248.26	5460.3	80.2	2.06	3944.3	70.97
100	100	8726.6	282.37	6843	116.99	2.03	4731.9	103.25

Table 3: Average Iterations - 70% arcs

additional use of “ImproveStartingValues” provides the best further improvement in P_1 and the worse improvement in P_3 ;

- as regards to the average cpu times, the use of “ImplicitVisit” only provides better results in P_1 and P_3 than in P_2 , while the additional use of “ImproveStartingValues” provides good further improvements just in P_2 ;
- when both “ImplicitVisit” and “ImproveStartingValues” are used for problem P_1 , almost all of the feasible levels are implicitly visited and very few iterations of the while cycle are needed to solve the problems, unfortunately the same improvements do not occur with respect to the

n	num	Complete Visit	With “ImplicitVisit” only			With both “ImplicitVisit” and “ImproveStartingValues”		
			P ₁	P ₂	P ₃	P ₁	P ₂	P ₃
10	1000	1.0372	0.18035	0.82091	0.19186	0.05271	0.55104	0.16984
20	1000	5.1037	0.52945	4.0656	0.51315	0.15298	2.8211	0.45965
30	1000	12.936	1.2777	10.359	0.94961	0.48605	7.3623	0.86337
40	800	25.543	2.5674	20.488	1.6473	1.2733	14.77	1.5416
50	500	44.384	4.7172	35.674	2.8196	2.9184	26.342	2.7014
60	300	71.258	8.2767	57.319	5.2393	5.7376	43.443	5.0677
70	200	108.54	15.313	87.219	8.6882	11.727	66.847	8.4796
80	100	159.59	22.351	128.61	14.049	18.469	97.488	13.812
90	100	226.23	40.993	182.06	23.029	35.467	146.31	22.846
100	100	312.64	62.096	252.25	34.492	55.534	200.69	34.292

Table 4: Average CPU time (secs) - 70% arcs

cpu times since the “*ImplicitVisit*” procedure becomes extremely heavy from a computational point of view.

Finally, it is worth noticing that the proposed algorithm allows to solve in a reasonable time (about 0.5-3.5 minutes) nonconvex problems on graphs having 100 nodes and about 7000 arcs (see Table 4). For the sake of completeness, the procedure proposed in this paper has been compared with the “*fmincon()*” matlab command which resulted to be far slower (up to 50 times with respect to the spent CPU time) even for reaching a just local minimum (not in general global); in this light just the cases $n = 20, 30, 40$, with a 70% degree, have been considered since for $n \geq 50$ the “*fmincon()*” command did not produce any local minimum in a reasonable CPU time.

5 Conclusions

The proposed algorithm allows to solve a wide range of nonconvex flow problems. In particular, the improvement criteria suggested in Section 3 resulted to be extremely effective in making the algorithm efficient. The correctness of the method guarantees that the global minimum is found. The use of the graph structure allows to solve large dimension problems in a reasonable time.

References

- [1] Barros A.I. (1998) Discrete and Fractional Programming Techniques for Location Models. Combinatorial Optimization, vol.3, Kluwer Academic Publishers, Dordrecht.
- [2] Bazaraa M.S., Jarvis J.J., and H.D. Sherali (2009) Linear Programming and Network Flows. 4th edition, Wiley.
- [3] Cambini R. and C. Sodini (2003) A finite algorithm for a class of non-linear multiplicative programs. Journal of Global Optimization, 26:279-296.
- [4] Cambini R. and C. Sodini (2007) An unifying approach to solve a class of parametrically-convexifiable problems. In: Generalized Convexity and Related Topics, I.V. Konnov, D.T. Luc and A.M. Rubinov (eds), Lecture Notes in Economics and Mathematical Systems, Springer, Berlin, 583:149-166.
- [5] Cambini R. and C. Sodini (2010) Global optimization of a rank-two nonconvex program. Mathematical Methods of Operations Research, 71:165-180.
- [6] Cooper W.W., Seiford L.M. and J. Zhu (eds) (2004) Handbook on Data Envelopment Analysis. International Series in Operations Research & Management Science, vol.71, Kluwer Academic Publishers, Boston.
- [7] Ellero A. (1996) The optimal level solutions method. Journal of Information & Optimization Sciences, 17:355-372.
- [8] Frenk J.B.G. and S. Schaible (2005) Fractional programming. In: Handbook of Generalized Convexity and Generalized Monotonicity, Nonconvex Optimization and Its Applications, 76:335-386, Springer, New York.
- [9] Horst R. and H. Tuy (1996) Global Optimization: Deterministic Approaches. 3rd rev., Springer, Berlin.
- [10] Horst R., Pardalos P.M. and N.V. Thoai (2001) Introduction to Global Optimization. 2nd ed., Nonconvex Optimization and Its Applications, vol.48, Kluwer Academic Publishers, Dordrecht.
- [11] Konno H. and T. Kuno (1995) Multiplicative programming problems. In: Handbook of Global Optimization, R. Horst and P.M. Pardalos (eds), Nonconvex Optimization and Its Applications, Kluwer Academic Publishers, Dordrecht, 2:369-405.

- [12] Konno H., Thach P.T. and H. Tuy (1997), *Optimization on low rank nonconvex structures*, Nonconvex Optimization and Its Applications, vol.15, Kluwer Academic Publishers, Dordrecht.
- [13] Mjelde K.M. (1983) Methods of the Allocation of Limited Resources. Wiley, New York.
- [14] Schaible S. (1995) Fractional programming. In: Handbook of Global Optimization, Horst R. and P.M. Pardalos (eds), Nonconvex Optimization and Its Applications, 2:495-608, Kluwer Academic Publishers, Dordrecht.
- [15] Schaible S. and C. Sodini (1995) A finite algorithm for generalized linear multiplicative programming. Journal of Optimization Theory and Applications, 87:441-455.
- [16] Tuy H. (1998) Convex Analysis and Global Optimization. Nonconvex Optimization and Its Applications, vol.22, Kluwer Academic Publishers, Dordrecht.

Elenco dei report pubblicati

Anno: 0

n. 0

Anno: 1987

- n. 1 Alberto Cambini - Laura Martein, Some Optimality Conditions in Vector Optimization
- n. 2 Alberto Cambini - Laura Martein - S.Schaibel, On Maximizing a Sum of Ratios
- n. 3 Giuliano Gasparotto, On the Charnes-Cooper Transformation in linear Fractional Programming.
- n. 4 Alberto Cambini, Non-linear separation Theorems, Duality and Optimality
- n. 5 Giovanni Boletto, Indicizzazione parziale: aspetti metodologici e riflessi economici
- n. 6 Alberto Cambini - Claudio Sodini, On Parametric Linear Fractional Programming
- n. 7 Alberto Bonaguidi, Alcuni aspetti meno noti delle migrazioni in Italia
- n. 8 Laura Martein - S. Schaible, On Solving a Linear Program with one Quadratic Constraint

Anno: 1988

- n. 9 Ester Lari, Alcune osservazioni sull'equazione funzionale $\emptyset(x,y,z)=\emptyset(\emptyset(x,y,t),z)$
- n. 10 F. Bartiaux, Une étude par ménage des migrations des personnes âgées: comparaison des résultats pour l'Italie et les Etats-Unis
- n. 11 Giovanni Boletto, Metodi di scomposizione del tasso di inflazione
- n. 12 Claudio Sodini, A New Algorithm for the Strictly Convex Quadratic Programming Problem
- n. 13 Laura Martein, On Generating the Set of all Efficient Points of a Bicriteria Fractional Problem
- n. 14 Laura Martein, Applicazioni della programmazione frazionaria nel campo economico-finanziario
- n. 15 Laura Martein, On the Bicriteria Maximization Problem
- n. 16 Paolo Manca, Un prototipo di sistema esperto per la consulenza finanziaria rivolta ai piccoli risparmiatori
- n. 17 Paolo Manca, Operazioni Finanziarie di Soper e Operazioni di puro Investimento secondo Teichroew-Robichek-Montalbano
- n. 18 Paolo Carraresi - Claudio Sodini, A k - Shortest Path Approach to the Minimum Cost Matching Problem.
- n. 19 Odo Barsotti - Marco Bottai, Sistemi gravitazionali e fasi di transazione della crescita Demografica
- n. 20 Giovanni Boletto, Metodi di scomposizione dell'inflazione aggregata : recenti sviluppi.
- n. 21 Marc Termote - Alberto Bonaguidi, Multiregional Stable Population as a Tool for Short-term Demographic Analysis
- n. 22 Marco Bottai, Storie familiari e storie migratorie: un'indagine in Italia
- n. 23 Maria Francesca Romano - Marco Marchi, Problemi connessi con la disomogeneità dei gruppi sottoposti a sorveglianza statistico-epidemiologica.
- n. 24 Franca Orsi, Un approccio logico ai problemi di scelta finanziaria.

Anno: 1989

- n. 25 Vincenzo Bruno, Attrazione ed entropia.
- n. 26 Giorgio Giorgi - S. Mititelu, Invexity in nonsmooth Programming.
- n. 28 Alberto Cambini - Laura Martein, Equivalence in linear fractional programming.

Anno: 1990

- n. 27 Vincenzo Bruno, Lineamenti econometrici dell'evoluzione del reddito nazionale in relazione ad altri fenomeni economici
- n. 29 Odo Barsotti - Marco Bottai - Marco Costa, Centralità e potenziale demografico per l'analisi dei comportamenti demografici: il caso della Toscana
- n. 30 Anna Marchi, A sequential method for a bicriteria problem arising in portfolio selectiontheory.
- n. 31 Marco Bottai, Mobilità locale e pianificazione territoriale.
- n. 32 Anna Marchi, Solving a quadratic fractional program by means of a complementarity approach
- n. 33 Anna Marchi, Sulla relazione tra un problema bicriteria e un problema frazionario.

Anno: 1991

- n. 34 Enrico Gori, Variabili latenti e "self-selection" nella valutazione dei processi formativi.
- n. 35 Piero Manfredi - E. Salinelli, About an interactive model for sexual Populations.
- n. 36 Giorgio Giorgi, Alcuni aspetti matematici del modello di sraffa a produzione semplice
- n. 37 Alberto Cambini - S.Schaibl - Claudio Sodini, Parametric linear fractional programming for an unbounded feasible Region.
- n. 38 I.Emke - Poulopoulos - V.Gozàlvès Pérez - Odo Barsotti - Laura Lecchini, International migration to northern Mediterranean countries the cases of Greece, Spain and Italy.
- n. 39 Giuliano Gasparotto, A LP code implementation
- n. 40 Riccardo Cambini, Un problema di programmazione quadratica nella costituzione di capitale.
- n. 41 Gilberto Ghilardi, Stime ed errori campionari nell'indagine ISTAT sulle forze di lavoro.
- n. 42 Vincenzo Bruno, Alcuni valori medi, variabilità paretiana ed entropia.
- n. 43 Giovanni Boletto, Gli effetti del trascinamento dei prezzi sulle misure dell'inflazione: aspetti metodologici
- n. 44 P. Paolicchi, Gli abbandoni nell'università: modelli interpretativi.
- n. 45 Maria Francesca Romano, Da un archivio amministrativo a un archivio statistico: una proposta metodologica per i dati degli studenti universitari.
- n. 46 Maria Francesca Romano, Criteri di scelta delle variabili nei modelli MDS: un'applicazione sulla popolazione studentesca di Pisa.
- n. 47 Odo Barsotti - Laura Lecchini, Les parcours migratoires en fonction de la nationalité. Le cas de l'Italie.
- n. 48 Vincenzo Bruno, Indicatori statistici ed evoluzione demografica, economica e sociale delle province toscane.
- n. 49 Alberto Cambini - Laura Martein, Tangent cones in optimization.
- n. 50 Alberto Cambini - Laura Martein, Optimality conditions in vector and scalar optimization: a unified approach.

Anno: 1992

- n. 51 Gilberto Ghilardi, Elementi di uno schema di campionamento areale per alcune rilevazioni ufficiali in Italia.

Elenco dei report pubblicati

- n. 52 Paolo Manca, Investimenti e finanziamenti generalizzati.
- n. 53 Laura Lecchini - Odo Barsotti, Le rôle des immigrés extra-communautaires dans le marché du travail
- n. 54 Riccardo Cambini, Alcune condizioni di ottimalità relative ad un insieme stellato.
- n. 55 Gilberto Ghilardi, Uno schema di campionamento areale per le rilevazioni insulne famiglie in Italia.
- n. 56 Riccardo Cambini, Studio di una classe di problemi non lineari: un metodo sequenziale.
- n. 57 Riccardo Cambini, Una nota sulle possibili estensioni a funzioni vettoriali di significative classi di funzioni concavo-generalizzate.
- n. 58 Alberto Bonaguidi - Valerio Terra Abrami, Metropolitan aging transition and metropolitan redistribution of the elderly in Italy.
- n. 59 Odo Barsotti - Laura Lecchini, A comparison of male and female migration strategies: the cases of African and Filipino Migrants to Italy.
- n. 60 Gilberto Ghilardi, Un modello logit per lo studio del fenomeno delle nuove imprese.
- n. 61 S. Schaible, Generalized monotonicity.
- n. 62 Vincenzo Bruno, Dell'elasticità in economia e dell'incertezza statistica.
- n. 63 Laura Martein, Alcune classi di funzioni concave generalizzate nell'ottimizzazione vettoriale
- n. 64 Anna Marchi, On the relationships between bicriteria problems and non-linear programming problems.
- n. 65 Giovanni Boletto, Considerazioni metodologiche sul concetto di elasticità prefissata.
- n. 66 Laura Martein, Soluzione efficienti e condizioni di ottimalità nell'ottimizzazione vettoriale.

Anno: 1993

- n. 67 Maria Francesca Romano, Le rilevazioni ufficiali ISTAT della popolazione universitaria: problemi e definizioni alternative.
- n. 68 Marco Bottai - Odo Barsotti, La ricerca "Spazio Utilizzato" Obiettivi e primi risultati.
- n. 69 Marco Bottai - F.Bartiaux, Composizione familiare e mobilità delle persone anziane. Una analisi regionale.
- n. 70 Anna Marchi - Claudio Sodini, An algorithm for a non-differentiable non-linear fractional programming problem.
- n. 71 Claudio Sodini - S.Schaible, An finite algorithm for generalized linear multiplicative programming.
- n. 72 Alberto Cambini - Laura Martein, An approach to optimality conditions in vector and scalar optimization.
- n. 73 Alberto Cambini - Laura Martein, Generalized concavity and optimality conditions in vector and scalar optimization.
- n. 74 Riccardo Cambini, Alcune nuove classi di funzioni concavo-generalizzate.

Anno: 1994

- n. 75 Alberto Cambini - Anna Marchi - Laura Martein, On nonlinear scalarization in vector optimization.
- n. 76 Maria Francesca Romano - Giovanna Nencioni, Analisi delle carriere degli studenti immatricolati dal 1980 al 1982.
- n. 77 Gilberto Ghilardi, Indici statistici della congiuntura.
- n. 78 Riccardo Cambini, Condizioni di efficienza locale nella ottimizzazione vettoriale.
- n. 79 Odo Barsotti - Marco Bottai, Funzioni di utilizzazione dello spazio.
- n. 80 Vincenzo Bruno, Alcuni aspetti dinamici della popolazione dei comuni della Toscana, distinti per ampiezza demografica e per classi di urbanità e di ruralità.
- n. 81 Giovanni Boletto, I numeri indici del potere d'acquisto della moneta.
- n. 82 Alberto Cambini - Laura Martein - Riccardo Cambini, Some optimality conditions in multiobjective programming.
- n. 83 S. Schaible, Fractional programming with sume of ratios.
- n. 84 Stefan Tigan - I.M.Stancu-Minasian, The minimum-risk approach for continuous time linear-fractional programming.
- n. 85 Vasile Preda - I.M.Stancu-Minasian, On duality for multiobjective mathematical programming of n-set.
- n. 86 Vasile Preda - I.M.Stancu-Minasian - Anton Batatorescu, Optimality and duality in nonlinear programming involving semilocally preinvex and related functions.

Anno: 1995

- n. 87 Elena Melis, Una nota storica sulla programmazione lineare: un problema di Kantorovich rivisto alla luce del problema degli zeri.
- n. 88 Vincenzo Bruno, Mobilità territoriale dell'Italia e di tre Regioni tipiche: Lombardia, Toscana, Sicilia.
- n. 89 Antonio Cortese, Bibliografia sulla presenza straniera in Italia
- n. 90 Riccardo Cambini, Funzioni scalari affini generalizzate.
- n. 91 Piero Manfredi - Fabio Tarini, Modelli epidemiologici: teoria e simulazione. (I)
- n. 92 Marco Bottai - Maria Caputo - Laura Lecchini, The "OLIVAR" survey. Methodology and quality.
- n. 93 Laura Lecchini - Donatella Marsiglia - Marco Bottai, Old people and social network.
- n. 94 Gilberto Ghilardi, Uno studio empirico sul confronto tra alcuni indici statistici della congiuntura.
- n. 95 Vincenzo Bruno, Il traffico nei porti italiani negli anni recenti.
- n. 96 Alberto Cambini - Anna Marchi - Laura Martein - S. Schaible, An analysis of the falk-palocsay algorithm.
- n. 97 Alberto Cambini - Laura Carosi, Sulla esistenza di elementi massimali.

Anno: 1996

- n. 98 Riccardo Cambini - S. Komlósi, Generalized concavity and generalized monotonicity concepts for vector valued.
- n. 99 Riccardo Cambini, Second order optimality conditions in the image space.
- n. 100 Vincenzo Bruno, La stagionalità delle correnti di navigazione marittima.
- n. 101 Eugene Maurice Cleur, A comparison of alternative discrete approximations of the Cox -I ngersoll - ross model.
- n. 102 Gilberto Ghilardi, Sul calcolo del rapporto di concentrazione del Gini.
- n. 103 Alberto Cambini - Laura Martein - Riccardo Cambini, A new approach to second order optimality conditions in vector optimization.
- n. 104 Fausto Gozzi, Alcune osservazioni sull'immunizzazione semideterministica.
- n. 105 Emilio Barucci - Fausto Gozzi, Innovation and capital accumulation in a vintage capital model an infinite dimensional control approach.
- n. 106 Alberto Cambini - Laura Martein - I.M.Stancu-Minasian., A survey of bicriteria fractional problems.
- n. 107 Luciano Fanti - Piero Manfredi, Viscosità dei salari, offerta di lavoro endogena e ciclo.
- n. 108 Piero Manfredi - Luciano Fanti, Ciclo di vita di nuovi prodotti: modellistica non lineare.
- n. 109 Piero Manfredi, Crescita con ciclo, gestione dei piani di investimento ed effetti.

Elenco dei report pubblicati

- n. 110 Luciano Fanti - Piero Manfredi, Un modello "classico" di ciclo con crescita ed offerta di lavoro endogena.
- n. 111 Anna Marchi, On the connectedness of the efficient frontier : sets without local maxima.
- n. 112 Riccardo Cambini, Generalized concavity for bicriteria functions.
- n. 113 Vincenzo Bruno, Variazioni dinamiche (1971-1981-1991) dei fenomeni demografici dei comuni (urbani e rurali) della Lombardia, in relazione ad alcune caratteristiche di mobilità territoriale.

Anno: 1997

- n. 114 Piero Manfredi - Fabio Tarini - J.R. Williams - A. Carducci - B. Casini, Infectious diseases: epidemiology, mathematical models, and immunization policies.
- n. 115 Eugene Maurice Cleur - Piero Manfredi, One dimensional SDE models, low order numerical methods and simulation based estimation: a comparison of alternative estimators.
- n. 116 Luciano Fanti - Piero Manfredi, Point stability versus orbital stability (or instability): remarks on policy implications in classical growth cycle model.
- n. 117 Piero Manfredi - Francesco Billari, transition into adulthood, marriage, and timing of life in a stable population framework.
- n. 118 Laura Carosi, Una nota sul concetto di estremo superiore di insiemi ordinati da coni convessi.
- n. 119 Laura Lecchini - Donatella Marsiglia, Reti sociali degli anziani: selezione e qualità delle relazioni.
- n. 120 Piero Manfredi - Luciano Fanti, Gestation lags and efficiency wage mechanisms in a goodwin type growth model.
- n. 121 G.Rivellini, La metodologia statistica multilevel come possibile strumento per lo studio delle interazioni tra il comportamento procreativo individuale e il contesto
- n. 122 Laura Carosi, Una nota sugli insiemi C-limitati e L-limitati.
- n. 123 Laura Carosi, Sull'estremo superiore di una funzione lineare fratta ristretta ad un insieme chiuso e illimitato.
- n. 124 Piero Manfredi, A demographic framework for the evaluation of the impact of imported infectious diseases.
- n. 125 Alessandro Valentini, Calo della fecondità ed immigrazione: scenari e considerazioni sul caso italiano.
- n. 126 Alberto Cambini - Laura Martein, Second order optimality conditions.

Anno: 1998

- n. 127 Piero Manfredi and Alessandro Valentini, Populations with below replacementfertility: theoretical considerations and scenarioes from the italian laboratory.
- n. 128 Alberto Cambini - Laura Martein - E. Moretti, Programmazione frazionaria e problemi bicriteria.
- n. 129 Emilio Barucci - Fausto Gozzi - Andrej Swiech, Incentive compatibility constraints and dynamic programming in continuous time.

Anno: 1999

- n. 130 Alessandro Valentini, Impatto delle immigrazioni sulla popolazione italiana: confronto tra scenari alternativi.
- n. 131 K. Iglicka - Odo Barsotti - Laura Lecchini, Recent developement of migrations from Poland to Europe with a special emphasis on Italy K.Iglicka - Le Migrazioni est-ovest: le unioni miste in Italia
- n. 132 Alessandro Valentini, Proiezioni demografiche multiregionali a due sessi, con immigrazioni internazionali e vincoli di consistenza.
- n. 133 Fabio Antonelli - Emilio Barucci - Maria Elvira Mancino, Backward-forward stochastic differential utility: existence, consumption and equilibrium analysis.
- n. 134 Emilio Barucci - Maria Elvira Mancino, Asset pricing with endogenous aspirations.
- n. 135 Eugene Maurice Cleur, Estimating a class of diffusion models: an evaluation of the effects of sampled discrete observations.
- n. 136 Luciano Fanti - Piero Manfredi, Labour supply, time delays, and demoeconomic oscillations in a solow-typegrowth model.
- n. 137 Emilio Barucci - Sergio Polidoro - Vincenzo Vespri, Some results on partial differential equations and Asian options.
- n. 138 Emilio Barucci - Maria Elvira Mancino, Hedging european contingent claims in a Markovian incomplete market.
- n. 139 Alessandro Valentini, L'applicazione del modello multiregionale-multistato alla popolazione in Italia mediante l'utilizzo del Lipro: procedura di adattamento dei dati e particolarità tecniche del programma.
- n. 140 I.M.Stancu-Minasian, optimality conditions and duality in fractional programming-involving semilocally preinvex and related functions.
- n. 141 Alessandro Valentini, Proiezioni demografiche con algoritmi di consistenza per la popolazione in Italia nel periodo 1997-2142: presentazione dei risultati e confronto con metodologie di stima alternative.
- n. 142 Laura Carosi, Competitive equilibria with money and restricted partecipation.
- n. 143 Laura Carosi, Monetary policy and Pareto improbability in a financial economy with restricted partecipation
- n. 144 Bruno Cheli, Misurare il benessere e lo sviluppo dai paradossi del Pil a misure di benessere economico sostenibile, con uno sguardo allo sviluppo umano
- n. 145 Bruno Cheli - Laura Lecchini - Lucio Masserini, The old people's perception of well-being: the role of material and non material resources
- n. 146 Eugene Maurice Cleur, Maximum likelihood estimation of one-dimensional stochastic differential equation models from discrete data: some computational results
- n. 147 Alessandro Valentini - Francesco Billari - Piero Manfredi, Utilizzi empirici di modelli multistato continui con durate multiple
- n. 148 Francesco Billari - Piero Manfredi - Alberto Bonaguidi - Alessandro Valentini, Transition into adulthood: its macro-demographic consequences in a multistatew stable population framework
- n. 149 Francesco Billari - Piero Manfredi - Alessandro Valentini, Becoming Adult and its Macro-Demographic Impact: Multistate Stable Population Theory and an Application to Italy
- n. 150 Alessandro Valentini, Le previsioni demografiche in presenza di immigrazioni: confronto tra modelli alternativi e loro utilizzo empirico ai fini della valutazione dell'equilibrio nel sistema pensionistico
- n. 151 Emilio Barucci - Roberto Monte, Diffusion processes for asset prices under bounded rationality
- n. 152 Emilio Barucci - P. Cianchi - L. Landi - A. Lombardi, Reti neurali e analisi delle serie storiche: un modello per la previsione del BTP future
- n. 153 Alberto Cambini - Laura Carosi - Laura Martein, On the supremum in fractional programming
- n. 154 Riccardo Cambini - Laura Martein, First and second order characterizations of a class of pseudoconcave vector functions
- n. 155 Piero Manfredi and Luciano Fanti, Embedding population dynamics in macro-economic models. The case of the goodwin's growth cycle
- n. 156 Laura Lecchini e Odo Barsotti, Migrazioni dei preti dalla Polonia in Italia
- n. 157 Vincenzo Bruno, Analisi dei prezzi, in Italia dal 1975 in poi
- n. 158 Vincenzo Bruno, Analisi del commercio al minuto in Italia
- n. 159 Vincenzo Bruno, Aspetti ciclici della liquidità bancaria, dal 1971 in poi

Elenco dei report pubblicati

- n. 160 Anna Marchi, A separation theorem in alternative theorems and vector optimization

Anno: 2000

- n. 161 Piero Manfredi and Luciano Fanti, Labour supply, population dynamics and persistent oscillations in a Goodwin-type growth cycle model
- n. 162 Luciano Fanti and Piero Manfredi, Neo-classical labour market dynamics and chaos (and the Phillips curve revisited)
- n. 163 Piero Manfredi - and Luciano Fanti, Detection of Hopf bifurcations in continuos-time macro-economic models, with an application to reducible delay-systems.
- n. 164 Fabio Antonelli - Emilio Barucci, The Dynamics of pareto allocations with stochastic differential utility
- n. 165 Eugene M. Cleur, Computing maximum likelihood estimates of a class of One-Dimensional stochastic differential equation models from discrete Data*
- n. 166 Eugene M. Cleur, Estimating the drift parameter in diffusion processes more efficiently at discrete times:a role of indirect estimation
- n. 167 Emilio Barucci - Vincenzo Valori, Forecasting the forecasts of others e la Politica di Inflation targeting
- n. 168 A.Cambini - L. Martein, First and second order optimality conditions in vector optimization
- n. 169 A. Marchi, Theorems of the Alternative by way of Separation Theorems
- n. 170 Emilio Barucci - Maria Elvira Mancino, Asset Pricing and Diversification with Partially Exchangeable random Variables
- n. 171 Piero Manfredi - Luciano Fanti, Long Term Effects of the Efficiency Wage Hypothesis in Goodwin-Type Economies.
- n. 172 Piero Manfredi - Luciano Fanti, Long Term Effects of the Efficiency wage Hypothesis in Goodwin-type Economies: a reply.
- n. 173 Luciano Fanti, Innovazione Finanziaria e Domanda di Moneta in un Modello dinamico IS-LM con Accumulazione.
- n. 174 P.Manfredi, A.Bonaccorsi, A.Secchi, Social Heterogeneities in Classical New Product Diffusion Models. I: "External" and "Internal" Models.
- n. 175 Piero Manfredi - Ernesto Salinelli, Modelli per formazione di coppie e modelli di Dinamica familiare.
- n. 176 P.Manfredi, E. Salinelli, A.Melegaro, A.Secchi, Long term Interference Between Demography and Epidemiology: the case of tuberculosis
- n. 177 Piero Manfredi - Ernesto Salinelli, Toward the Development of an Age Structure Teory for Family Dynamics I: General Frame.
- n. 178 Piero Manfredi - Luciano Fanti, Population heterogeneities, nonlinear oscillations and chaos in some Goodwin-type demo-economic models
Paper to be presented at the: Second workshop on "nonlinear demography" Max Planck Institute for demographic Research Rostock,
Germany, May 31-June 2, 2
- n. 179 E. Barucci - M.E. Mancini - Roberto Renò, Volatility Estimation via Fourier Analysis
- n. 180 Riccardo Cambini, Minimum Principle Type Optimality Conditions
- n. 181 E. Barucci, M. Giuli, R. Monte, Asset Prices under Bounded Rationality and Noise Trading
- n. 182 A. Cambini, D.T.Luc, L.Martein, Order Preserving Transformations and application.
- n. 183 Vincenzo Bruno, Variazioni dinamiche (1971-1981-1991) dei fenomeni demografici dei comuni urbani e rurali della Sicilia, in relazione ad alcune caratteristiche di mobilità territoriale.
- n. 184 F.Antonelli, E.Barucci, M.E.Mancino, Asset Pricing with a Backward-Forward Stochastic Differential Utility
- n. 185 Riccardo Cambini - Laura Carosi, Coercivity Concepts and Recession Functions in Constrained Problems
- n. 186 John R. Williams, Piero Manfredi, The pre-vaccination dynamics of measles in Italy: estimating levels of under-reporting of measles cases
- n. 187 Piero Manfredi, John R. Williams, To what extent can inter-regional migration perturb local endemic patterns? Estimating numbers of measles cases in the Italian regions
- n. 188 Laura Carosi, Johannes Jahn, Laura Martein, On The Connections between Semidefinite Optimization and Vector Optimization
- n. 189 Alberto Cambini, Jean-Pierre Crouzeix, Laura Martein, On the Pseudoconvexity of a Quadratic Fractional Function
- n. 190 Riccardo Cambini - Claudio Sodini, A finite Algorithm for a Particular d.c. Quadratic Programming Problem.
- n. 191 Riccardo Cambini - Laura Carosi, Pseudoconvexity of a class of Quadratic Fractional Functions.
- n. 192 Laura Carosi, A note on endogenous restricted partecipation on financial markets: an existence result.
- n. 193 Emilio Barucci - Roberto Monte - Roberto Renò, Asset Price Anomalies under Bounded Rationality.
- n. 194 Emilio Barucci - Roberto Renò, A Note on volatility estimate-forecast with GARCH models.
- n. 195 Bruno Cheli, Sulla misura del benessere economico: i paradossi del PIL e le possibili correzioni in chiave etica e sostenibile, con uno spunto per l'analisi della povertà
- n. 196 M.Bottai, M.Bottai, N. Salvati, M.Toigo, Le proiezioni demografiche con il programma Nostradamus. (Applicazione all'area pisana)
- n. 197 A. Lemmi - B. Cheli - B. Mazzolli, La misura della povertà multidimensionale: aspetti metodologici e analisi della realtà italiana alla metà degli anni '90
- n. 198 C.R. Bector - Riccardo Cambini, Generalized B-invex vector valued functions
- n. 199 Luciano Fanti - Piero Manfredi, The workers' resistance to wage cuts is not necessarily detrimental for the economy: the case of a Goodwin's growth model with endogenous population.
- n. 200 Emilio Barucci - Roberto Renò, On Measuring volatility of diffusion processes with high frequency data
- n. 201 Piero Manfredi - Luciano Fanti, Demographic transition and balanced growth

Anno: 2001

- n. 202 E.Barucci - M. E. Mancini - E. Vannucci, Asset Pricing, Diversification and Risk Ordering with Partially Exchangeable random Variables
- n. 203 E. Barucci - R. Renò - E. Vannucci, Executive Stock Options Evaluation.
- n. 204 Odo Barsotti - Moreno Toigo, Dimensioni delle rimesse e variabili esplicative: un'indagine sulla collettività marocchina immigrata nella Toscana Occidentale
- n. 205 Vincenzo Bruno, I Consumi voluttuari, nell'ultimo trentennio, in Italia
- n. 206 Michele Longo, The monopolist choice of innovation adoption: A regular-singular stochastic control problem
- n. 207 Michele Longo, The competitive choice of innovation adoption: A finite-fuel singular stochastic control problem.
- n. 208 Riccardo Cambini - Laura Carosi, On the pseudoaffinity of a class of quadratic fractional functions
- n. 209 Riccardo Cambini - Claudio Sodini, A Finite Algorithm for a Class of Non Linear Multiplicative Programs.
- n. 210 Alberto Cambini - Dinh The Luc - Laura Martein, A method for calculating subdifferential Convex vector functions
- n. 211 Alberto Cambini - Laura Martein, Pseudolinearity in scalar and vector optimization.
- n. 212 Riccardo Cambini, Necessary Optimality Conditions in Vector Optimization.
- n. 213 Riccardo Cambini - Laura Carosi, On generalized convexity of quadratic fractional functions.
- n. 214 Riccardo Cambini - Claudio Sodini, A note on a particular quadratic programming problem.

Elenco dei report pubblicati

- n. 215 Michele Longo - Vincenzo Valori, Existence and stability of equilibria in OLG models under adaptive expectations.
- n. 216 Luciano Fanti - Piero Manfredi, Population, unemployment and economic growth cycles: a further explanatory perspective
- n. 217 J.R.Williams,P.Manfredi,S.Salmaso,M.Ciofi, Heterogeneity in regional notification patterns and its impact on aggregate national case notification data: the example of measles in Italy.
- n. 218 Anna Marchi, On the connectedness of the efficient frontier: sets without local efficient maxima
- n. 219 Laura Lecchini - Odo Barsotti, Les disparités territoriales au Maroc au travers d'une optique de genre.

Anno: 2002

- n. 220 Gilberto Ghilardi - Nicola Orsini, Sull'uso dei modelli statistici lineari nella valutazione dei sistemi formativi.
- n. 221 Andrea Mercatanti, Un'analisi descrittiva dei laureati dell'Università di Pisa
- n. 222 E. Barucci - C. Impenna - R. Renò, The Italian Overnight Market: microstructure effects, the martingale hypothesis and the payment system.
- n. 223 E. Barucci, P. Malliavin, M.E.Mancino, R.Renò, A.Thalmaier, The Price-volatility feedback rate: an implementable mathematical indicator of market stability.
- n. 224 Andrea Mercatanti, Missing at random in randomized experiments with imperfect compliance
- n. 225 Andrea Mercatanti, Effetto dell'uso di carte Bancomat e carte di Credito sulla liquidità familiare: una valutazione empirica
- n. 226 Piero Manfredi - John R. Williams, Population decline and population waves: their impact upon epidemic patterns and morbidity rates for childhood infectious diseases. Measles in Italy as an example.
- n. 227 Piero Manfredi - Marta Ciofi degli Atti, La geografia pre-vaccinale del morbillo in Italia. I. Comportamenti di contatto e sforzi necessari all'eliminazione: predizioni dal modello base delle malattie prevenibili da vaccino.
- n. 228 I.M.Stancu-Minasian, Optimality Conditions and Duality in Fractional Programming Involving Semilocally Preinvex and Related
- n. 229 Nicola Salvati, Un software applicativo per un'analisi di dati sui marchi genetici (Genetic Markers)
- n. 230 Piero Manfredi, J. R. Williams, E. M. Cleur, S. Salmaso, M. Ciofi, The pre-vaccination regional landscape of measles in Italy: contact patterns and related amount of needed eradication efforts (and the "EURO" conjecture)
- n. 231 Andrea Mercatanti, I tempi di laurea presso l'Università di Pisa: un'applicazione dei modelli di durata in tempo discreto
- n. 232 Andrea Mercatanti, The weak version of the exclusion restriction in causal effects estimation: a simulation study
- n. 233 Riccardo Cambini and Laura Carosi, Duality in multiobjective optimization problems with set constraints
- n. 234 Riccardo Cambini and Claudio Sodini, Decomposition methods for nonconvex quadratic programs
- n. 235 R.Cambini and L. Carosi and S.Schaible, Duality in fractional optimization problems with set constraints
- n. 236 Anna Marchi, On the mix-efficient points

Anno: 2003

- n. 237 Emanuele Vannucci, The valuation of unit linked policies with minimal return guarantees under symmetric and asymmetric information hypotheses
- n. 238 John R Williams - Piero Manfredi, Ageing populations and childhood infections: the potential impact on epidemic patterns and morbidity
- n. 239 Bruno Cheli, Errata Corrige del Manuale delle Impronte Ecologiche (2002) ed alcuni utili chiarimenti
- n. 240 Alessandra Petrucci-Nicola Salvati-Monica Pratesi, Stimatore Combinato r Correlazione Spaziale nella Stima per Piccole Aree
- n. 241 Riccardo Cambini - Laura Carosi, Mixed Type Duality for Multiobjective Optimization Problems with set constraints
- n. 242 O.Barsotti, L.Lecchini, F.Benassi, Foreigners from central and eastern European countries in Italy: current and future perspectives of eu enlargement
- n. 243 A. Cambini - L. Martein - S. Schaible, Pseudoconvexity under the Charnes-Cooper transformation
- n. 244 Eugene M. Cleur, Piero Manfredi, and John R. William, The pre-and post-Vaccination regional dynamics of measles in Italy: Insights from time series analysis

Anno: 2004

- n. 245 Emilio Barucci - Jury Falini, Determinants of Corporate Governance in Italy: Path dependence or convergence?
- n. 246 R. Cambini - A. Marchi, A note on the connectedness of the efficient frontier
- n. 247 Laura Carosi - Laura Martein, On the pseudoconvexity and pseudolinearity of some classes of fractional functions
- n. 248 E. Barucci - R. Monte - B. Trivellato, Bayesian nash equilibrium for insider trading in continuous time
- n. 249 Eugene M. Cleur, A Time Series Analysis of the Inter-Epidemic Period for Measles in Italy
- n. 250 Andrea Mercatanti, Causal inference methods without exclusion restrictions: an economic application.
- n. 251 Eugene M. Cleur, Non-Lineairities in Monthly Measles data for Italy
- n. 252 Eugene M. Cleur, A Treshold Model for Prevaccination Measles Data: Some Empirical Results for England and Italy
- n. 253 Andrea Mercatanti, La gestione dei dati mancanti nei modelli di inferenza causale: il caso degli esperimenti naturali.
- n. 254 Andrea Mercatanti, Rilevanza delle analisi di misture di distribuzioni nelle valutazioni di efficacia
- n. 255 Andrea Mercatanti, Local estimation of mixtures in instrumental variables models
- n. 256 Monica Pratesi - Nicola Salvati, Spatial EBLUP in agricultural surveys: an application based on italian census data.
- n. 257 Emanuele Vannucci, A model analyzing the effects of information asymmetries of the traders
- n. 258 Monica Pratesi-Emilia Rocco, Two-Step centre sampling for estimating elusive population size
- n. 259 A.Lemmi, N.Pannuzzi, P.Valentini, B.Cheli, G.Berti, Estimating Multidimensional Poverty:
A Comparison of Three Diffused Methods°

Anno: 2005

- n. 260 Nicola Salvati, Small Area estimation: the EBLUP estimator using the CAR model
- n. 261 Monica Pratesi-Nicola Salvati, Small Area Estimation: the EBLUP estimator with autoregressive random area effects
- n. 262 Riccardo Cambini-Claudio Sodini, A solution algorithm for a class of box constrained quadratic programming problems
- n. 263 Andrea Mercatanti, A constrained likelihood maximization for relaxing the exclusion restriction in causal inference.
- n. 264 Marco Bottai - Annalisa Lazzini - Nicola Salvati, Le proiezioni demografiche. Pisa 2003/2032
- n. 265 Andrea Mercatanti, An exercise in estimating causal effects for non-compliers: the return to schooling in Germany and Austria
- n. 266 Nicola Salvati, M-quantile Geographically Weighted Regression for Nonparametric Small Area Estimation
- n. 267 Ester Rizzi, Alessandro Rosina, L'influsso della Luna sul comportamento sessuale

Elenco dei report pubblicati

- n. 268 Silvia Venturi, Linda Porciani, Moreno Toigo, Federico Benassi, Il migrazione nello spazio sociale transnazionale: tra integrazione nel Paese di destinazione e appartenenza al Paese di origine
- n. 269 James Raymer, Alberto Bonaguidi, Alessandro Valentini, Describing and Projecting the Age and Spatial Structures of Interregional Migration in Italy
- n. 270 Laura Carosi, Laura Martein, Some classes of pseudoconvex fractional functions via the Charnes-Cooper transformation
- n. 271 Laura Carosi, Antonio Villanacci, Relative wealth dependent restricted participation on financial markets
- n. 272 Riccardo Cambini, Claudio Sodini, A sequential method for a class of box constrained quadratic programming problems
- n. 273 Riccardo Cambini, Rossana Riccardi, An approach to discrete convexity and its use in an optimal fleet mix problem
- n. 274 Riccardo Cambini, Claudio Sodini, An unifying approach to solve a class of parametrically-convexifiable problems
- n. 275 Paolo Manca, Misure di Rischio Finanziario
- n. 276 Bruno Cheli e Gianna Righi, Rapporto sulle abitudini di consumo di acqua potabile nel Comune di Cecina
- n. 277 Anna Marchi - Laura Martein, Pseudomonotonicity of an affine map and the two dimensional case
- n. 278 Andrea Pallini, Bernstein-type approximation of smooth functions
- n. 279 Ray Chambers, Monica Pratesi, Nicola Salvati, Nikos Tzavidis, Spatial M-quantile Models for Small Area Estimation

Anno: 2006

- n. 280 Franco Fineschi and Riccardo Giannetti, ADJOINTS OF A MATRIX
- n. 281 Andrea Mercatanti, An ML procedure for partially identified Causal models
- n. 282 Marco Geraci, Nicola Salvati, The geographical distribution of the consumption expenditure in Ecuador: Estimation and mapping of the regression quantiles
- n. 283 Mauro Sodini, Labour supply in a polluted world
- n. 284 Mauro Sodini, The Fragility of Social Capital: An Analytical Approach
- n. 285 Mauro Sodini, An endogenous growth model with social capital
- n. 286 Mauro Sodini, A two sectors growth model with social capital
- n. 287 Monica Pratesi, M. Giovanna Ranalli, Nicola Salvati, Nonparametric M-quantile Regression using Penalized Splines
- n. 288 Riccardo Cambini e Claudio Sodini, A computational comparison of some branch and bound methods for indefinite quadratic programs
- n. 289 Riccardo Cambini, Multiobjective Problems with Set Constraints: from Necessary Optimality Conditions to Duality Results
- n. 290 Il ruolo della complementarietà stretta in programmazione matematica, Giorgio Giorgi
- n. 291 Andrea Pallini, Bernstein-type approximation using the beta-binomial distribution
- n. 292 Andrea Mercatanti, Identifiability and two-steps estimation procedures in causal models with ignorable assignments and non-ignorable compliance

Anno: 2007

- n. 293 Nikos Tzavidis, Nicola Salvati, Monica Pratesi, Ray Chambers, M-quantile Models with Application to Small Area Estimation and Poverty Mapping
- n. 294 Andrea Pallini, Saturation and Superefficiency for some Approximation of the Bernstein Type
- n. 295 Giorgio Guzzetta, Piero Manfredi, Estimation of the forces of infection in a complex epidemiological model for meningitis using genetic algorithms
- n. 296 Emanuele Del Fava, Piero Manfredi, Strange phenomena in the most basic inferential procedure: interval estimation for a binomial proportion
- n. 297 Odo Barsotti, Federico Benassi, Moreno Toigo, Migrants, employ et développement économique dans les provinces italiennes.
- n. 298 Odo Barsotti, Federico Benassi, Linda Porciani, Moreno Toigo, Silvia Venturi, Trasmigrants, The Integration Process and Links with Country of Origin
- n. 299 Riccardo Cambini
Claudio Sodini, Global optimization of a generalized quadratic program
- n. 300 Riccardo Cambini and Rossana Riccardi, Theoretical and algorithmic results for a class of hierarchical fleet mix problems

Anno: 2008

- n. 301 Riccardo Cambini and Claudio Sodini, A branch and bound approach for a class of d.c. programs
- n. 302 I.M. Stancu - Minasian and Andrea Madalina Stancu, SUFFICIENT OPTIMALITY CONDITIONS FOR NONLINEAR PROGRAMMING WITH MIXED CONSTRAINTS AND GENERALIZED p-LOCALLY ARCWISE
- n. 303 Ray Chambers, Hukum Chandra and Nicola Salvati, Estimation of Proportions for Small Areas Using Unit Level Models With Spatially Correlated population – An Application to Poverty Mapping.
- n. 304 Andrea Mercatanti, Assessing the effect of debit cards on households' spending under the uncounfoundedness assumption
- n. 305 Riccardo Cambini and Rossana Riccardi, On Discrete quasiconvexity concepts for single variable scalar functions
- n. 306 Sara Biagini, Marco Frittelli, Matheus Grasselli, Indifference price with general semimartingales
- n. 307 Sara Biagini, Paolo Guasoni, Relaxed Utility Maximization
- n. 308 Monica Pratesi, Nonparametric Small Area Estimation via M-quantile Regression using Penalized Splines
- n. 309 Angelo Antoci, Mauro Sodini, Indeterminacy, bifurcations and chaos in an overlapping generations model with negative environmental externalities
- n. 310 A. Cambini L. Martein, On the maximal domains of pseudoconvexity of some classes of generalized fractional functions.
- n. 311 A. Cambini L. Martein, On the generalized convexity of quadratic functions.
- n. 312 Riccardo Cambini, Claudio Sodini, Global optimization of a generalized linear program.
- n. 313 Cambini Alberto, Carosi Laura and Martein Laura, A new approach for regularity conditions in vector optimization
- n. 314 Porciani Linda, Martin Pilar, La mediazione familiare: strumento di risoluzione dei conflitti

Anno: 2009

- n. 315 Federico Benassi, Linda Porciani, The dual profile of migration in Tuscany.
- n. 316 Laura Carosi, Michele Gori, Antonio Villanacci, Endogenous Restricted Participation in General Financial Equilibrium-Existence Results
- n. 317 Sara Biagini Mihai Sirbu, A note on investment opportunities when the credit line is infinite
- n. 318 G. Giorgi, C. Zuccotti, Matrici a diagonale dominante:

Elenco dei report pubblicati

Anno: **0**

n. 0

Anno: **1987**

- n. 1 Alberto Cambini - Laura Martein, Some Optimality Conditions in Vector Optimization
- n. 2 Alberto Cambini - Laura Martein - S.Schaibel, On Maximizing a Sum of Ratios
- n. 3 Giuliano Gasparotto, On the Charnes-Cooper Transformation in linear Fractional Programming.
- n. 4 Alberto Cambini, Non-linear separation Theorems, Duality and Optimality
- n. 5 Giovanni Boletto, Indicizzazione parziale: aspetti metodologici e riflessi economici
- n. 6 Alberto Cambini - Claudio Sodini, On Parametric Linear Fractional Programming
- n. 7 Alberto Bonaguidi, Alcuni aspetti meno noti delle migrazioni in Italia
- n. 8 Laura Martein - S. Schaible, On Solving a Linear Program with one Quadratic Constraint

Anno: **1988**

- n. 9 Ester Lari, Alcune osservazioni sull'equazione funzionale $\emptyset(x,y,z)=\emptyset(\emptyset(x,y,t),t,z)$
- n. 10 F. Bartiaux, Une étude par ménage des migrations des personnes âgées: comparaison des résultats pour l'Italie et les Etats-Unis
- n. 11 Giovanni Boletto, Metodi di scomposizione del tasso di inflazione
- n. 12 Claudio Sodini, A New Algorithm for the Strictly Convex Quadratic Programming Problem
- n. 13 Laura Martein, On Generating the Set of all Efficient Points of a Bicriteria Fractional Problem
- n. 14 Laura Martein, Applicazioni della programmazione frazionaria nel campo economico-finanziario
- n. 15 Laura Martein, On the Bicriteria Maximization Problem
- n. 16 Paolo Manca, Un prototipo di sistema esperto per la consulenza finanziaria rivolta ai piccoli risparmiatori
- n. 17 Paolo Manca, Operazioni Finanziarie di Soper e Operazioni di puro Investimento secondo Teichroew-Robichek-Montalbano
- n. 18 Paolo Carraresi - Claudio Sodini, A k - Shortest Path Approach to the Minimum Cost Matching Problem.
- n. 19 Odo Barsotti - Marco Bottai, Sistemi gravitazionali e fasi di transazione della crescita Demografica
- n. 20 Giovanni Boletto, Metodi di scomposizione dell'inflazione aggregata : recenti sviluppi.
- n. 21 Marc Termote - Alberto Bonaguidi, Multiregional Stable Population as a Tool for Short-term Demographic Analysis
- n. 22 Marco Bottai, Storie familiari e storie migratorie: un'indagine in Italia
- n. 23 Maria Francesca Romano - Marco Marchi, Problemi connessi con la disomogeneità dei gruppi sottoposti a sorveglianza statistico-epidemiologica.
- n. 24 Franca Orsi, Un approccio logico ai problemi di scelta finanziaria.

Anno: **1989**

- n. 25 Vincenzo Bruno, Attrazione ed entropia.
- n. 26 Giorgio Giorgi - S. Mititelu, Invexity in nonsmooth Programming.
- n. 28 Alberto Cambini - Laura Martein, Equivalence in linear fractional programming.

Anno: **1990**

- n. 27 Vincenzo Bruno, Lineamenti econometrici dell'evoluzione del reddito nazionale in relazione ad altri fenomeni economici
- n. 29 Odo Barsotti - Marco Bottai - Marco Costa, Centralità e potenziale demografico per l'analisi dei comportamenti demografici: il caso della Toscana
- n. 30 Anna Marchi, A sequential method for a bicriteria problem arising in portfolio selectiontheory.
- n. 31 Marco Bottai, Mobilità locale e pianificazione territoriale.
- n. 32 Anna Marchi, Solving a quadratic fractional program by means of a complementarity approach
- n. 33 Anna Marchi, Sulla relazione tra un problema bicriteria e un problema frazionario.

Anno: **1991**

- n. 34 Enrico Gori, Variabili latenti e "self-selection" nella valutazione dei processi formativi.
- n. 35 Piero Manfredi - E. Salinelli, About an interactive model for sexual Populations.
- n. 36 Giorgio Giorgi, Alcuni aspetti matematici del modello di sraffa a produzione semplice
- n. 37 Alberto Cambini - S.Schaibl - Claudio Sodini, Parametric linear fractional programming for an unbounded feasible Region.
- n. 38 I.Emke - Poulopoulos - V.Gozálvez Pérez - Odo Barsotti - Laura Lecchini, International migration to northern Mediterranean countries the cases of Greece, Spain and Italy.
- n. 39 Giuliano Gasparotto, A LP code implementation
- n. 40 Riccardo Cambini, Un problema di programmazione quadratica nella costituzione di capitale.
- n. 41 Gilberto Ghilardi, Stime ed errori campionari nell'indagine ISTAT sulle forze di lavoro.
- n. 42 Vincenzo Bruno, Alcuni valori medi, variabilità paretiana ed entropia.
- n. 43 Giovanni Boletto, Gli effetti del trascinamento dei prezzi sulle misure dell'inflazione: aspetti metodologici
- n. 44 P. Paolicchi, Gli abbandoni nell'università: modelli interpretativi.
- n. 45 Maria Francesca Romano, Da un archivio amministrativo a un archivio statistico: una proposta metodologica per i dati degli studenti universitari.
- n. 46 Maria Francesca Romano, Criteri di scelta delle variabili nei modelli MDS: un'applicazione sulla popolazione studentesca di Pisa.
- n. 47 Odo Barsotti - Laura Lecchini, Les parcours migratoires en fonction de la nationalité. Le cas de l'Italie.
- n. 48 Vincenzo Bruno, Indicatori statistici ed evoluzione demografica, economica e sociale delle province toscane.
- n. 49 Alberto Cambini - Laura Martein, Tangent cones in optimization.
- n. 50 Alberto Cambini - Laura Martein, Optimality conditions in vector and scalar optimization: a unified approach.

Anno: **1992**

- n. 51 Gilberto Ghilardi, Elementi di uno schema di campionamento areale per alcune rilevazioni ufficiali in Italia.

Elenco dei report pubblicati

-
- n. 52 Paolo Manca, Investimenti e finanziamenti generalizzati.
 - n. 53 Laura Lecchini - Odo Barsotti, Le rôle des immigrés extra-communautaires dans le marché du travail
 - n. 54 Riccardo Cambini, Alcune condizioni di ottimalità relative ad un insieme stellato.
 - n. 55 Gilberto Ghilardi, Uno schema di campionamento areale per le rilevazioni sulle famiglie in Italia.
 - n. 56 Riccardo Cambini, Studio di una classe di problemi non lineari: un metodo sequenziale.
 - n. 57 Riccardo Cambini, Una nota sulle possibili estensioni a funzioni vettoriali di significative classi di funzioni concavo-generalizzate.
 - n. 58 Alberto Bonaguidi - Valerio Terra Abrami, Metropolitan aging transition and metropolitan redistribution of the elderly in Italy.
 - n. 59 Odo Barsotti - Laura Lecchini, A comparison of male and female migration strategies: the cases of African and Filipino Migrants to Italy.
 - n. 60 Gilberto Ghilardi, Un modello logit per lo studio del fenomeno delle nuove imprese.
 - n. 61 S. Schaible, Generalized monotonicity.
 - n. 62 Vincenzo Bruno, Dell'elasticità in economia e dell'incertezza statistica.
 - n. 63 Laura Martein, Alcune classi di funzioni concave generalizzate nell'ottimizzazione vettoriale
 - n. 64 Anna Marchi, On the relationships between bicriteria problems and non-linear programming problems.
 - n. 65 Giovanni Boletto, Considerazioni metodologiche sul concetto di elasticità prefissata.
 - n. 66 Laura Martein, Soluzione efficienti e condizioni di ottimalità nell'ottimizzazione vettoriale.

Anno: 1993

-
- n. 67 Maria Francesca Romano, Le rilevazioni ufficiali ISTAT della popolazione universitaria: problemi e definizioni alternative.
 - n. 68 Marco Bottai - Odo Barsotti, La ricerca "Spazio Utilizzato" Obiettivi e primi risultati.
 - n. 69 Marco Bottai - F.Bartiaux, Composizione familiare e mobilità delle persone anziane. Una analisi regionale.
 - n. 70 Anna Marchi - Claudio Sodini, An algorithm for a non-differentiable non-linear fractional programming problem.
 - n. 71 Claudio Sodini - S.Schaible, An finite algorithm for generalized linear multiplicative programming.
 - n. 72 Alberto Cambini - Laura Martein, An approach to optimality conditions in vector and scalar optimization.
 - n. 73 Alberto Cambini - Laura Martein, Generalized concavity and optimality conditions in vector and scalar optimization.
 - n. 74 Riccardo Cambini, Alcune nuove classi di funzioni concavo-generalizzate.

Anno: 1994

-
- n. 75 Alberto Cambini - Anna Marchi - Laura Martein, On nonlinear scalarization in vector optimization.
 - n. 76 Maria Francesca Romano - Giovanna Nencioni, Analisi delle carriere degli studenti immatricolati dal 1980 al 1982.
 - n. 77 Gilberto Ghilardi, Indici statistici della congiuntura.
 - n. 78 Riccardo Cambini, Condizioni di efficienza locale nella ottimizzazione vettoriale.
 - n. 79 Odo Barsotti - Marco Bottai, Funzioni di utilizzazione dello spazio.
 - n. 80 Vincenzo Bruno, Alcuni aspetti dinamici della popolazione dei comuni della Toscana, distinti per ampiezza demografica e per classi di urbanità e di ruralità.
 - n. 81 Giovanni Boletto, I numeri indici del potere d'acquisto della moneta.
 - n. 82 Alberto Cambini - Laura Martein - Riccardo Cambini, Some optimality conditions in multiobjective programming.
 - n. 83 S. Schaible, Fractional programming with sume of ratios.
 - n. 84 Stefan Tigan - I.M.Stancu-Minasian, The minimum-risk approach for continuous time linear-fractional programming.
 - n. 85 Vasile Preda - I.M.Stancu-Minasian, On duality for multiobjective mathematical programming of n-set.
 - n. 86 Vasile Preda - I.M.Stancu-Minasian - Anton Batorescu, Optimality and duality in nonlinear programming involving semilocally preinvex and related functions.

Anno: 1995

-
- n. 87 Elena Melis, Una nota storica sulla programmazione lineare: un problema di Kantorovich rivisto alla luce del problema degli zeri.
 - n. 88 Vincenzo Bruno, Mobilità territoriale dell'Italia e di tre Regioni tipiche: Lombardia, Toscana, Sicilia.
 - n. 89 Antonio Cortese, Bibliografia sulla presenza straniera in Italia
 - n. 90 Riccardo Cambini, Funzioni scalari affini generalizzate.
 - n. 91 Piero Manfredi - Fabio Tarini, Modelli epidemiologici: teoria e simulazione. (I)
 - n. 92 Marco Bottai - Maria Caputo - Laura Lecchini, The "OLIVAR" survey. Methodology and quality.
 - n. 93 Laura Lecchini - Donatella Marsiglia - Marco Bottai, Old people and social network.
 - n. 94 Gilberto Ghilardi, Uno studio empirico sul confronto tra alcuni indici statistici della congiuntura.
 - n. 95 Vincenzo Bruno, Il traffico nei porti italiani negli anni recenti.
 - n. 96 Alberto Cambini - Anna Marchi - Laura Martein - S. Schaible, An analysis of the falk-palocsay algorithm.
 - n. 97 Alberto Cambini - Laura Carosi, Sulla esistenza di elementi massimali.

Anno: 1996

-
- n. 98 Riccardo Cambini - S. Komlòsi, Generalized concavity and generalized monotonicity concepts for vector valued.
 - n. 99 Riccardo Cambini, Second order optimality conditions in the image space.
 - n. 100 Vincenzo Bruno, La stagionalità delle correnti di navigazione marittima.
 - n. 101 Eugene Maurice Cleur, A comparison of alternative discrete approximations of the Cox -ingersoll - ross model.
 - n. 102 Gilberto Ghilardi, Sul calcolo del rapporto di concentrazione del Gini.
 - n. 103 Alberto Cambini - Laura Martein - Riccardo Cambini, A new approach to second order optimality conditions in vector optimization.
 - n. 104 Fausto Gozzi, Alcune osservazioni sull'immunizzazione semideterministica.
 - n. 105 Emilio Barucci - Fausto Gozzi, Innovation and capital accumulation in a vintage capital model an infinite dimensional control approach.
 - n. 106 Alberto Cambini - Laura Martein - I.M.Stancu-Minasian., A survey of bicriteria fractional problems.
 - n. 107 Luciano Fanti - Piero Manfredi, Viscosità dei salari, offerta di lavoro endogena e ciclo.
 - n. 108 Piero Manfredi - Luciano Fanti, Ciclo di vita di nuovi prodotti: modelistica non lineare.
 - n. 109 Piero Manfredi, Crescita con ciclo, gestazione dei piani di investimento ed effetti.

Elenco dei report pubblicati

- n. 110 Luciano Fanti - Piero Manfredi, Un modello "classico" di ciclo con crescita ed offerta di lavoro endogena.
- n. 111 Anna Marchi, On the connectedness of the efficient frontier : sets without local maxima.
- n. 112 Riccardo Cambini, Generalized concavity for bicriteria functions.
- n. 113 Vincenzo Bruno, Variazioni dinamiche (1971-1981-1991) dei fenomeni demografici dei comuni (urbani e rurali) della Lombardia, in relazione ad alcune caratteristiche di mobilità territoriale.

Anno: 1997

- n. 114 Piero Manfredi - Fabio Tarini - J.R. Williams - A. Carducci - B. Casini, Infectious diseases: epidemiology, mathematical models, and immunization policies.
- n. 115 Eugene Maurice Cleur - Piero Manfredi, One dimensional SDE models, low order numerical methods and simulation based estimation: a comparison of alternative estimators.
- n. 116 Luciano Fanti - Piero Manfredi, Point stability versus orbital stability (or instability): remarks on policy implications in classical growth cycle model.
- n. 117 Piero Manfredi - Francesco Billari, transition into adulthood, marriage, and timing of life in a stable population framework.
- n. 118 Laura Carosi, Una nota sul concetto di estremo superiore di insiemi ordinati da coni convessi.
- n. 119 Laura Lecchini - Donatella Marsiglia, Reti sociali degli anziani: selezione e qualità delle relazioni.
- n. 120 Piero Manfredi - Luciano Fanti, Gestation lags and efficiency wage mechanisms in a goodwin type growth model.
- n. 121 G. Rivellini, La metodologia statistica multilevel come possibile strumento per lo studio delle interazioni tra il comportamento procreativo individuale e il contesto
- n. 122 Laura Carosi, Una nota sugli insiemi C-limitati e L-limitati.
- n. 123 Laura Carosi, Sull'estremo superiore di una funzione lineare fratta ristretta ad un insieme chiuso e illimitato.
- n. 124 Piero Manfredi, A demographic framework for the evaluation of the impact of imported infectious diseases.
- n. 125 Alessandro Valentini, Calo della fecondità ed immigrazione: scenari e considerazioni sul caso italiano.
- n. 126 Alberto Cambini - Laura Martein, Second order optimality conditions.

Anno: 1998

- n. 127 Piero Manfredi and Alessandro Valentini, Populations with below replacementfertility: theoretical considerations and scenarioes from the italian laboratory.
- n. 128 Alberto Cambini - Laura Martein - E. Moretti, Programmazione frazionaria e problemi bicriteria.
- n. 129 Emilio Barucci - Fausto Gozzi - Andrej Szwiech, Incentive compatibility constraints and dynamic programming in continuous time.

Anno: 1999

- n. 130 Alessandro Valentini, Impatto delle immigrazioni sulla popolazione italiana: confronto tra scenari alternativi.
- n. 131 K. Iglicka - Odo Barsotti - Laura Lecchini, Recent developement of migrations from Poland to Europe with a special emphasis on Italy K.Iglicka - Le Migrazioni est-ovest: le unioni miste in Italia
- n. 132 Alessandro Valentini, Proiezioni demografiche multiregionali a due sessi, con immigrazioni internazionali e vincoli di consistenza.
- n. 133 Fabio Antonelli - Emilio Barucci - Maria Elvira Mancino, Backward-forward stochastic differential utility: existence, consumption and equilibrium analysis.
- n. 134 Emilio Barucci - Maria Elvira Mancino, Asset pricing with endogenous aspirations.
- n. 135 Eugene Maurice Cleur, Estimating a class of diffusion models: an evaluation of the effects of sampled discrete observations.
- n. 136 Luciano Fanti - Piero Manfredi, Labour supply, time delays, and demoeconomic oscillations in a solow-typegrowth model.
- n. 137 Emilio Barucci - Sergio Polidoro - Vincenzo Vesprini, Some results on partial differential equations and Asian options.
- n. 138 Emilio Barucci - Maria Elvira Mancino, Hedging european contingent claims in a Markovian incomplete market.
- n. 139 Alessandro Valentini, L'applicazione del modello multiregionale-multistato alla popolazione in Italia mediante l'utilizzo del Lipro: procedura di adattamento dei dati e particolarità tecniche del programma.
- n. 140 I.M.Stancu-Minasian, optimality conditions and duality in fractional programming-involving semilocally preinvex and related functions.
- n. 141 Alessandro Valentini, Proiezioni demografiche con algoritmi di consistenza per la popolazione in Italia nel periodo 1997-2142: presentazione dei risultati e confronto con metodologie di stima alternative.
- n. 142 Laura Carosi, Competitive equilibria with money and restricted partecipation.
- n. 143 Laura Carosi, Monetary policy and Pareto improvability in a financial economy with restricted partecipation
- n. 144 Bruno Cheli, Misurare il benessere e lo sviluppo dai paradossi del Pil a misure di benessere economico sostenibile, con uno sguardo allo sviluppo umano
- n. 145 Bruno Cheli - Laura Lecchini - Lucio Masserini, The old people's perception of well-being: the role of material and non material resources
- n. 146 Eugene Maurice Cleur, Maximum likelihood estimation of one-dimensional stochastic differential equation models from discrete data: some computational resultas
- n. 147 Alessandro Valentini - Francesco Billari - Piero Manfredi, Utilizzi empirici di modelli multistato continui con durate multiple
- n. 148 Francesco Billari - Piero Manfredi - Alberto Bonaguidi - Alessandro Valentini, Transition into adulthood: its macro-demographic consequences in a multistate stable population framework
- n. 149 Francesco Billari - Piero Manfredi - Alessandro Valentini, Becoming Adult and its Macro-Demographic Impact: Multistate Stable Population Theory and an Application to Italy
- n. 150 Alessandro Valentini, Le previsioni demografiche in presenza di immigrazioni: confronto tra modelli alternativi e loro utilizzo empirico ai fini della valutazione dell'equilibrio nel sistema pensionistico
- n. 151 Emilio Barucci - Roberto Monte, Diffusion processes for asset prices under bounded rationality
- n. 152 Emilio Barucci - P. Cianchi - L. Landi - A. Lombardi, Reti neurali e analisi delle serie storiche: un modello per la previsione del BTP future
- n. 153 Alberto Cambini - Laura Carosi - Laura Martein, On the supremum in fractional programming
- n. 154 Riccardo Cambini - Laura Martein, First and second order characterizations of a class of pseudoconcave vector functions
- n. 155 Piero Manfredi and Luciano Fanti, Embedding population dynamics in macro-economic models. The case of the goodwin's growth cycle
- n. 156 Laura Lecchini e Odo Barsotti, Migrazioni dei preti dalla Polonia in Italia
- n. 157 Vincenzo Bruno, Analisi dei prezzi, in Italia dal 1975 in poi
- n. 158 Vincenzo Bruno, Analisi del commercio al minuto in Italia
- n. 159 Vincenzo Bruno, Aspetti ciclici della liquidità bancaria, dal 1971 in poi

Elenco dei report pubblicati

- n. 160 Anna Marchi, A separation theorem in alternative theorems and vector optimization

Anno: 2000

-
- n. 161 Piero Manfredi and Luciano Fanti, Labour supply, population dynamics and persistent oscillations in a Goodwin-type growth cycle model
- n. 162 Luciano Fanti and Piero Manfredi, Neo-classical labour market dynamics and chaos (and the Phillips curve revisited)
- n. 163 Piero Manfredi - and Luciano Fanti, Detection of Hopf bifurcations in continuos-time macro-economic models, with an application to reducible delay-systems.
- n. 164 Fabio Antonelli - Emilio Barucci, The Dynamics of pareto allocations with stochastic differential utility
- n. 165 Eugene M. Cleur, Computing maximum likelihood estimates of a class of One-Dimensional stochastic differential equation models from discrete Data*
- n. 166 Eugene M. Cleur, Estimating the drift parameter in diffusion processes more efficiently at discrete times: a role of indirect estimation
- n. 167 Emilio Barucci - Vincenzo Valori, Forecasting the forecasts of others e la Politica di Inflation targeting
- n. 168 A.Cambini - L. Martein, First and second order optimality conditions in vector optimization
- n. 169 A. Marchi, Theorems of the Alternative by way of Separation Theorems
- n. 170 Emilio Barucci - Maria Elvira Mancino, Asset Pricing and Diversification with Partially Exchangeable random Variables
- n. 171 Piero Manfredi - Luciano Fanti, Long Term Effects of the Efficiency Wage Hypothesis in Goodwin-Type Economies.
- n. 172 Piero Manfredi - Luciano Fanti, Long Term Effects of the Efficiency wage Hypothesis in Goodwin-type Economies: a reply.
- n. 173 Luciano Fanti, Innovazione Finanziaria e Domanda di Moneta in un Modello dinamico IS-LM con Accumulazione.
- n. 174 P. Manfredi, A.Bonaccorsi, A.Secchi, Social Heterogeneities in Classical New Product Diffusion Models. I: "External" and "Internal" Models.
- n. 175 Piero Manfredi - Ernesto Salinelli, Modelli per formazione di coppie e modelli di Dinamica familiare.
- n. 176 P. Manfredi, E. Salinelli, A. Melegaro, A. Secchi, Long term Interference Between Demography and Epidemiology: the case of tuberculosis
- n. 177 Piero Manfredi - Ernesto Salinelli, Toward the Development of an Age Structure Teory for Family Dynamics I: General Frame.
Paper to be presented at the: Second workshop on "nonlinear demography" Max Planck Institute for demographic Research Rostock, Germany, May 31-June 2, 2
- n. 179 E. Barucci - M.E. Mancini - Roberto Renò, Volatility Estimation via Fourier Analysis
- n. 180 Riccardo Cambini, Minimum Principle Type Optimality Conditions
- n. 181 E. Barucci, M. Giuli, R. Monte, Asset Prices under Bounded Rationality and Noise Trading
- n. 182 A. Cambini, D.T.Luc, L.Martein, Order Preserving Transformations and application.
- n. 183 Vincenzo Bruno, Variazioni dinamiche (1971-1981-1991) dei fenomeni demografici dei comuni urbani e rurali della Sicilia, in relazione ad alcune caratteristiche di mobilità territoriale.
- n. 184 F.Antonelli, E.Barucci, M.E.Mancino, Asset Pricing with a Backward-Forward Stochastic Differential Utility
- n. 185 Riccardo Cambini - Laura Carosi, Coercivity Concepts and Recession Functions in Constrained Problems
- n. 186 John R. Williams, Piero Manfredi, The pre-vaccination dynamics of measles in Italy: estimating levels of under-reporting of measles cases
- n. 187 Piero Manfredi, John R. Williams, To what extent can inter-regional migration perturb local endemic patterns? Estimating numbers of measles cases in the Italian regions
- n. 188 Laura Carosi, Johannes Jahn, Laura Martein, On The Connections between Semidefinite Optimization and Vector Optimization
- n. 189 Alberto Cambini, Jean-Pierre Crouzeix, Laura Martein, On the Pseudoconvexity of a Quadratic Fractional Function
- n. 190 Riccardo Cambini - Claudio Sodini, A finite Algorithm for a Particular d.c. Quadratic Programming Problem.
- n. 191 Riccardo Cambini - Laura Carosi, Pseudoconvexity of a class of Quadratic Fractional Functions.
- n. 192 Laura Carosi, A note on endogenous restricted participation on financial markets: an existence result.
- n. 193 Emilio Barucci - Roberto Monte - Roberto Renò, Asset Price Anomalies under Bounded Rationality.
- n. 194 Emilio Barucci - Roberto Renò, A Note on volatility estimate-forecast with GARCH models.
- n. 195 Bruno Cheli, Sulla misura del benessere economico: i paradossi del PIL e le possibili correzioni in chiave etica e sostenibile, con uno spunto per l'analisi della povertà
- n. 196 M.Bottai, M.Bottai, N. Salvati, M.Toigo, Le proiezioni demografiche con il programma Nostradamus. (Applicazione all'area pisana)
- n. 197 A. Lemmi - B. Cheli - B. Mazzolli, La misura della povertà multidimensionale: aspetti metodologici e analisi della realtà italiana alla metà degli anni '90
- n. 198 C.R. Bector - Riccardo Cambini, Generalized B-invex vector valued functions
- n. 199 Luciano Fanti - Piero Manfredi, The workers' resistance to wage cuts is not necessarily detrimental for the economy: the case of a Goodwin's growth model with endogenous population.
- n. 200 Emilio Barucci - Roberto Renò, On Measuring volatility of diffusion processes with high frequency data
- n. 201 Piero Manfredi - Luciano Fanti, Demographic transition and balanced growth

Anno: 2001

-
- n. 202 E. Barucci - M. E. Mancini - E. Vannucci, Asset Pricing, Diversification and Risk Ordering with Partially Exchangeable random Variables
- n. 203 E. Barucci - R. Renò - E. Vannucci, Executive Stock Options Evaluation.
- n. 204 Odo Barsotti - Moreno Toigo, Dimensioni delle rimesse e variabili esplicative: un'indagine sulla collettività marocchina immigrata nella Toscana Occidentale
- n. 205 Vincenzo Bruno, I Consumi voluttuari, nell'ultimo trentennio, in Italia
- n. 206 Michele Longo, The monopolist choice of innovation adoption: A regular-singular stochastic control problem
- n. 207 Michele Longo, The competitive choice of innovation adoption: A finite-fuel singular stochastic control problem.
- n. 208 Riccardo Cambini - Laura Carosi, On the pseudoaffinity of a class of quadratic fractional functions
- n. 209 Riccardo Cambini - Claudio Sodini, A Finite Algorithm for a Class of Non Linear Multiplicative Programs.
- n. 210 Alberto Cambini - Dinh The Luc - Laura Martein, A method for calculating subdifferential Convex vector functions
- n. 211 Alberto Cambini - Laura Martein, Pseudolinearity in scalar and vector optimization.
- n. 212 Riccardo Cambini, Necessary Optimality Conditions in Vector Optimization.
- n. 213 Riccardo Cambini - Laura Carosi, On generalized convexity of quadratic fractional functions.
- n. 214 Riccardo Cambini - Claudio Sodini, A note on a particular quadratic programming problem.

Elenco dei report pubblicati

- n. 215 Michele Longo - Vincenzo Valori, Existence and stability of equilibria in OLG models under adaptive expectations.
- n. 216 Luciano Fanti - Piero Manfredi, Population, unemployment and economic growth cycles: a further explanatory perspective
- n. 217 J.R.Williams,P.Manfredi,S.Salmaso,M.Ciofi, Heterogeneity in regional notification patterns and its impact on aggregate national case notification data: the example of measles in Italy.
- n. 218 Anna Marchi, On the connectedness of the efficient frontier: sets without local efficient maxima
- n. 219 Laura Lecchini - Odo Barsotti, Les disparités territoriales au Maroc au travers d'une optique de genre.

Anno: 2002

- n. 220 Gilberto Ghilardi - Nicola Orsini, Sull'uso dei modelli statistici lineari nella valutazione dei sistemi formativi.
- n. 221 Andrea Mercatanti, Un'analisi descrittiva dei laureati dell'Università di Pisa
- n. 222 E. Barucci - C. Impenna - R. Renò, The Italian Overnight Market: microstructure effects, the martingale hypothesis and the payment system.
- n. 223 E. Barucci, P.Malliavin, M.E.Mancino, R.Renò, A.Thalmaier, The Price-volatility feedback rate: an implementable mathematical indicator of market stability.
- n. 224 Andrea Mercatanti, Missing at random in randomized experiments with imperfect compliance
- n. 225 Andrea Mercatanti, Effetto dell'uso di carte Bancomat e carte di Credito sulla liquidità familiare: una valutazione empirica
- n. 226 Piero Manfredi - John R. Williams, Population decline and population waves: their impact upon epidemic patterns and morbidity rates for childhood infectious diseases. Measles in Italy as an example.
- n. 227 Piero Manfredi - Marta Ciofi degli Atti, La geografia pre-vaccinale del morbillo in Italia. I. Comportamenti di contatto e sforzi necessari all'eliminazione: predizioni dal modello base delle malattie prevenibili da vaccino.
- n. 228 I.M.Stancu-Minasian, Optimality Conditions and Duality in Fractional Programming Involving Semilocally Preinvex and Related
- n. 229 Nicola Salvati, Un software applicativo per un'analisi di dati sui marchi genetici (Genetic Markers)
- n. 230 Piero Manfredi, J. R. Williams, E. M. Cleur, S. Salmaso, M. Ciofi, The pre-vaccination regional landscape of measles in Italy: contact patterns and related amount of needed eradication efforts (and the "EURO" conjecture)
- n. 231 Andrea Mercatanti, I tempi di laurea presso l'Università di Pisa: un'applicazione dei modelli di durata in tempo discreto
- n. 232 Andrea Mercatanti, The weak version of the exclusion restriction in causal effects estimation: a simulation study
- n. 233 Riccardo Cambini and Laura Carosi, Duality in multiobjective optimization problems with set constraints
- n. 234 Riccardo Cambini and Claudio Sodini, Decomposition methods for nonconvex quadratic programs
- n. 235 R.Cambini and L. Carosi and S.Schaible, Duality in fractional optimization problems with set constraints
- n. 236 Anna Marchi, On the mix-efficient points

Anno: 2003

- n. 237 Emanuele Vannucci, The valuation of unit linked policies with minimal return guarantees under symmetric and asymmetric information hypotheses
- n. 238 John R Williams - Piero Manfredi, Ageing populations and childhood infections: the potential impact on epidemic patterns and morbidity
- n. 239 Bruno Cheli, Errata Corrige del Manuale delle Impronte Ecologiche (2002) ed alcuni utili chiarimenti
- n. 240 Alessandra Petrucci-Nicola Salvati-Monica Pratesi, Stimatore Combinato r Correlazione Spaziale nella Stima per Piccole Aree
- n. 241 Riccardo Cambini - Laura Carosi, Mixed Type Duality for Multiobjective Optimization Problems with set constraints
- n. 242 O.Barsotti, L.Lecchini, F.Benassi, Foreigners from central and eastern European countries in Italy: current and future perspectives of eu enlargement
- n. 243 A. Cambini - L. Martein - S. Schaible, Pseudoconvexity under the Charnes-Cooper transformation
- n. 244 Eugene M. Cleur, Piero Manfredi, and John R. William, The pre-and post-Vaccination regional dynamics of measles in Italy: Insights from time series analysis

Anno: 2004

- n. 245 Emilio Barucci - Jury Falini, Determinants of Corporate Governance in Italy: Path dependence or convergence?
- n. 246 R. Cambini - A. Marchi, A note on the connectedness of the efficient frontier
- n. 247 Laura Carosi - Laura Martein, On the pseudoconvexity and pseudolinearity of some classes of fractional functions
- n. 248 E. Barucci - R. Monte - B. Trivellato, Bayesian nash equilibrium for insider trading in continuous time
- n. 249 Eugene M. Cleur, A Time Series Analysis of the Inter-Epidemic Period for Measles in Italy
- n. 250 Andrea Mercatanti, Causal inference methods without exclusion restrictions: an economic application.
- n. 251 Eugene M. Cleur, Non-Linearities in Monthly Measles data for Italy
- n. 252 Eugene M. Cleur, A Treshold Model for Prevaccination Measles Data: Some Empirical Results for England and Italy
- n. 253 Andrea Mercatanti, La gestione dei dati mancanti nei modelli di inferenza causale: il caso degli esperimenti naturali.
- n. 254 Andrea Mercatanti, Rilevanza delle analisi di misture di distribuzioni nelle valutazioni di efficacia
- n. 255 Andrea Mercatanti, Local estimation of mixtures in instrumental variables models
- n. 256 Monica Pratesi - Nicola Salvati, Spatial EBLUP in agricultural surveys: an application based on italian census data.
- n. 257 Emanuele Vannucci, A model analyzing the effects of information asymmetries of the traders
- n. 258 Monica Pratesi-Emilia Rocco, Two-Step centre sampling for estimating elusive population size
- n. 259 A.Lemmi, N.Pannuzzi, P.Valentini, B.Cheli, G.Berti, Estimating Multidimensional Poverty:
A Comparison of Three Diffused Methods^o

Anno: 2005

- n. 260 Nicola Salvati, Small Area estimation: the EBLUP estimator using the CAR model
- n. 261 Monica Pratesi-Nicola Salvati, Small Area Estimation: the EBLUP estimator with autoregressive random area effects
- n. 262 Riccardo Cambini-Claudio Sodini, A solution algorithm for a class of box constrained quadratic programming problems
- n. 263 Andrea Mercatanti, A constrained likelihood maximization for relaxing the exclusion restriction in causal inference.
- n. 264 Marco Bottai - Annalisa Lazzini - Nicola Salvati, Le proiezioni demografiche, Pisa 2003/2032
- n. 265 Andrea Mercatanti, An exercise in estimating causal effects for non-compliers: the return to schooling in Germany and Austria
- n. 266 Nicola Salvati, M-quantile Geographically Weighted Regression for Nonparametric Small Area Estimation
- n. 267 Ester Rizzi, Alessandro Rosina, L'influsso della Luna sul comportamento sessuale

Elenco dei report pubblicati

- n. 268 Silvia Venturi, Linda Porciani, Moreno Toigo, Federico Benassi, Il migrazione nello spazio sociale transnazionale: tra integrazione nel Paese di destinazione e appartenenza al Paese di origine
- n. 269 James Raymer, Alberto Bonaguidi, Alessandro Valentini, Describing and Projecting the Age and Spatial Structures of Interregional Migration in Italy
- n. 270 Laura Carosi, Laura Martein, Some classes of pseudoconvex fractional functions via the Charnes-Cooper transformation
- n. 271 Laura Carosi, Antonio Villanacci, Relative wealth dependent restricted participation on financial markets
- n. 272 Riccardo Cambini, Claudio Sodini, A sequential method for a class of box constrained quadratic programming problems
- n. 273 Riccardo Cambini, Rossana Riccardi, An approach to discrete convexity and its use in an optimal fleet mix problem
- n. 274 Riccardo Cambini, Claudio Sodini, An unifying approach to solve a class of parametrically-convexifiable problems
- n. 275 Paolo Manca, Misure di Rischio Finanziario
- n. 276 Bruno Cheli e Gianna Righi, Rapporto sulle abitudini di consumo di acqua potabile nel Comune di Cecina
- n. 277 Anna Marchi - Laura Martein, Pseudomonotonicity of an affine map and the two dimensional case
- n. 278 Andrea Pallini, Bernstein-type approximation of smooth functions
- n. 279 Ray Chambers, Monica Pratesi, Nicola Salvati, Nikos Tzavidis, Spatial M-quantile Models for Small Area Estimation

Anno: 2006

- n. 280 Franco Fineschi and Riccardo Giannetti, ADJOINTS OF A MATRIX
- n. 281 Andrea Mercatanti, An ML procedure for partially identified Causal models
- n. 282 Marco Geraci, Nicola Salvati, The geographical distribution of the consumption expenditure in Ecuador: Estimation and mapping of the regression quantiles
- n. 283 Mauro Sodini, Labour supply in a polluted world
- n. 284 Mauro Sodini, The Fragility of Social Capital: An Analytical Approach
- n. 285 Mauro Sodini, An endogenous growth model with social capital
- n. 286 Mauro Sodini, A two sectors growth model with social capital
- n. 287 Monica Pratesi, M. Giovanna Ranalli, Nicola Salvati, Nonparametric M-quantile Regression using Penalized Splines
- n. 288 Riccardo Cambini e Claudio Sodini, A computational comparison of some branch and bound methods for indefinite quadratic programs
- n. 289 Riccardo Cambini, Multiobjective Problems with Set Constraints: from Necessary Optimality Conditions to Duality Results
- n. 290 Il ruolo della complementarità stretta in programmazione matematica, Giorgio Giorgi
- n. 291 Andrea Pallini, Bernstein-type approximation using the beta-binomial distribution
- n. 292 Andrea Mercatanti, Identifiability and two-steps estimation procedures in causal models with ignorable assignments and non-ignorable compliance

Anno: 2007

- n. 293 Nikos Tzavidis, Nicola Salvati, Monica Pratesi, Ray Chambers, M-quantile Models with Application to Small Area Estimation and Poverty Mapping
- n. 294 Andrea Pallini, Saturation and Superefficiency for some Approximation of the Bernstein Type
- n. 295 Giorgio Guzzetta, Piero Manfredi, Estimation of the forces of infection in a complex epidemiological model for meningitis using genetic algorithms
- n. 296 Emanuele Del Fava, Piero Manfredi, Strange phenomena in the most basic inferential procedure: interval estimation for a binomial proportion
- n. 297 Odo Barsotti, Federico Benassi, Moreno Toigo, Migrants, employ et développement économique dans les provinces italiennes.
- n. 298 Odo Barsotti, Federico Benassi, Linda Porciani, Moreno Toigo, Silvia Venturi, Trasmigrants, The Integration Process and Links with Country of Origin
- n. 299 Riccardo Cambini
Claudio Sodini, Global optimization of a generalized quadratic program
- n. 300 Riccardo Cambini and Rossana Riccardi, Theoretical and algorithmic results for a class of hierarchical fleet mix problems

Anno: 2008

- n. 301 Riccardo Cambini and Claudio Sodini, A branch and bound approach for a class of d.c. programs
- n. 302 I.M. Stancu - Minasian and Andrea Madalina Stancu, SUFFICIENT OPTIMALITY CONDITIONS FOR NONLINEAR PROGRAMMING WITH MIXED CONSTRAINTS AND GENERALIZED p-LOCALLY ARCWISE
- n. 303 Ray Chambers, Hukum Chandra and Nicola Salvati, Estimation of Proportions for Small Areas Using Unit Level Models With Spatially Correlated population – An Application to Poverty Mapping.
- n. 304 Andrea Mercatanti, Assessing the effect of debit cards on households' spending under the unconfoundedness assumption
- n. 305 Riccardo Cambini and Rossana Riccardi, On Discrete quasiconvexity concepts for single variable scalar functions
- n. 306 Sara Biagini, Marco Frittelli, Matheus Grasselli, Indifference price with general semimartingales
- n. 307 Sara Biagini, Paolo Guasoni, Relaxed Utility Maximization
- n. 308 Monica Pratesi, Nonparametric Small Area Estimation via M-quantile Regression using Penalized Splines
- n. 309 Angelo Antoci, Mauro Sodini, Indeterminacy, bifurcations and chaos in an overlapping generations model with negative environmental externalities
- n. 310 A. Cambini L. Martein, On the maximal domains of pseudoconvexity of some classes of generalized fractional functions.
- n. 311 A. Cambini L. Martein, On the generalized convexity of quadratic functions.
- n. 312 Riccardo Cambini, Claudio Sodini, Global optimization of a generalized linear program.
- n. 313 Cambini Alberto, Carosi Laura and Martein Laura, A new approach for regularity conditions in vector optimization
- n. 314 Porciani Linda, Martin Pilar, La mediazione familiare: strumento di risoluzione dei conflitti

Anno: 2009

- n. 315 Federico Benassi, Linda Porciani, The dual profile of migration in Tuscany.
- n. 316 Laura Carosi, Michele Gori, Antonio Villanacci, Endogenous Restricted Participation in General Financial Equilibrium-Existence Results
- n. 317 Sara Biagini Mihai Sirbu, A note on investment opportunities when the credit line is infinite
- n. 318 G. Giorgi, C. Zuccotti, Matrici a diagonale dominante:

Elenco dei report pubblicati

principali definizioni, proprietà
e applicazioni

- n. 319 Riccardo Cambini and Claudio Sodini, Global optimization of a generalized linear multiplicative program
- n. 320 Riccardo Cambini and Francesca Salvi, Solving a class of low rank d.c. programs via a branch and bound approach: a computational experience.
- n. 321 Riccardo Cambini and Francesca Salvi, Solving a class of low rank d.c. programs via a branch and reduce approach: a computational study.
- n. 322 Riccardo Cambini and Francesca Salvi, A branch and reduce approach for solving a class of low rank d.c. programs.
- n. 323 Andrea Pallini, On the asymptotic error of the bernstein-type approximations based on the beta-binomial distribution
- n. 324 Sara Biagini - Ales Cerny, Admissible strategies in emimartingale portfolio selection
- n. 325 Angelo Antoci, Ahmad Naimzada, Mauro Sodini, Strategic interaction and heterogeneity in a overlapping generation model with negative environmental externalities.
- n. 326 Alessandra Coli, Francesca Scucces, La percezione della Solvay tra i residenti del Comune di Rosignano Marittimo: la progettazione di una indagine campionaria
- n. 327 Bruno Cheli, Alessandra Coli, Barbara Burchi, Valutazione delle ricadute economiche della Solvay sul territorio della Val di Cecina

Anno: 2010

- n. 328 Ahmad Naimzada, Mauro Sodini, Multiple attractor and non linear dynamics in an Overlapping Generations Model with Environment.
- n. 329 Data Envelopment Analysis with autputs uncertainty, Rossana Riccardi and Roberta Toninelli.
- n. 330 Ahmad Naimzada, Mauro Sodini, Multiple attractor and non linear dynamics in an Overlapping Generations Model with Environment
- n. 331 Ahmad Naimzada, Pierluigi Sacco, Mauro Sodini, Wealth-sensitive positional competition as a source of dynamic complexity in OLG models.
- n. 332 Massimiliano Landi, Mauro Sodini, A dynamical Analysis of turnout with conformist citizens
- n. 333 G. Oggioni, R. Riccardi, R. Toninelli, The cement industry: eco-efficiency country comparison using Data Envelopment Analysis
- n. 334 Alessandra Coli, Francesca Tartamella, Income and consumption expenditure by households groups in National accounts
- n. 335 Alessandra Coli, Francesca Tartamella, Micro-macro integration: survey data on household income for the estimate of the Italian GDP
- n. 336 Rossana Riccardi, Hierarchical Fleet Mix Problems with risk-aversion: a CVaR approach.
- n. 337 Riccardo Cambini and Claudio Sodini, On solving a class of rank-two nonconvex programs by means of parametric quadratic semidefinite subproblems
- n. 338 Massimiliano Landi, Mauro Sodini, Conformism and Turnout
- n. 339 Alberto Cambini, Laura Martein, On the maximal domains of pseudoconvexity of a quadratic fractional function
- n. 340 Stefano Marchetti, Claudia Dolci, Samantha Riccadonna and Cesare Furlanello, Bayesian Hierarchical Model for Small Area Disease Mapping: a Breast Cancer Study
- n. 341 G. Oggioni R. Riccardi R. Toninelli, Eco-efficiency of the world cement industry: A Data Envelopment Analysis
- n. 342 Angelo Antoci, Fabio Sabatini, Mauro Sodini, See you on Facebook: the effect of social networking on human interaction

Anno: 2011

- n. 343 Stefano Marchetti, Nikos Tzavidis, Monica Pratesi, Non-parametric Bootstrap Mean Squared Error Estimation for M-quantile Estimators of Small Area Averages, Quantiles and Poverty Indicators
- n. 344 G. Oggioni R. Riccardi R. Toninelli, Evaluating the efficiency of the cement sector in presence of undesirable output: a world based Data Envelopment Analysis
- n. 345 Mauro Sodini, Local and global dynamics in an overlapping generations model with endogenous time discounting
- n. 346 Daniela Ghio, Odo Barsotti, Silvia Venturi, Marc Termote, Lingua e cittadinanza: criteri alternativi per identificare una popolazione e le sue dinamiche? Un approccio demo-linguistico
- n. 347 G. Giorgi and C. Zuccotti, Again on Regularity Conditions in Differentiable Vector Optimization
- n. 348 Annamaria Bianchi, Nicola Salvati, Asymptotic properties and variance estimators of the M-quantile regression coefficients estimators
- n. 349 Alessandra Coli, Paolo Consolini, Marcello D'Orazio., Matching Eusilc and administrative data for studying poverty and social exclusion at the local level

Anno: 2012

- n. 350 Riccardo Cambini e Laura Carosi, A note on semi-pseudoconvexity and "generalized" invexity
- n. 351 Riccardo Cambini and Lura Carosi, A note on scalar "generalized" invexity
- n. 352 Riccardo Cambini and Claudio Sodini, On the minimization of a class of generalized linear functions on a flow polytope